



EXHAUST TAILPIPES CATALOGUE

Direct-Fit Tailpipes
Stainless Steel Tailpipes
Titanium Tailpipes
Carbon Tailpipes
Burned Tailpipes

www.tikkosracing.com



DIRECT FIT TAILPIPES

Inlet(ID) = Inside Diameter
Inlet(OD)= Outside Diameter



06-1006

S/Steel 304
VW Golf MK4 / VW New Beetle
Total Length= 250mm
Diameter= 2x70
Inlet(ID)= 48mm



06-8503 Left & Right

S/Steel 304 - Chrome plated
MERCEDES E SERIES
W211 E200/E220/E240/E320 Compressor
Oval= 104x75
Inlet(ID)= 54mm



06-8505 Left & Right

S/Steel 304 - Chrome plated
MERCEDES E SERIES Compressor
W211 E200/E220/E240/E320
Oval= 225x75
Inlet(ID)= 54mm



06-8507 Left & Right

S/Steel 304 - Chrome plated
MERCEDES S SERIES
W221 S320/S350/S500/S550 '06-'09
Does NOT fit the 4matic & CDi Models
Oval= 170x70
Inlet(ID)= 54mm



06-8508 Left & Right

S/Steel 304 - Chrome plated
MERCEDES S SERIES
W221 S320/S350/S500/S550 '06-'09
Does NOT fit the 4matic & CDi models
Oval= 225x70
Inlet(ID)= 54mm



06-8509 Left & Right

S/Steel 304 - Chrome plated
MERCEDES E-Class W211 CDi 2003-2007
Oval= 224x70
Inlet(ID)= 64mm



06-8514 Left & Right


S/Steel 304 - Chrome plated
MERCEDES GLK X204 2008-2012
280/300/350 4Matic - 200/220/250/320/350 CDi
Total Length= 157mm
Oval= 113x78



06-8515 Left & Right

S/Steel 304 - Chrome plated
MERCEDES W204 C200
Oval= 190x70
Inlet(ID)= 103x58mm

DIRECT FIT TAILPIPES



06-8608

S/Steel 304 - Chrome plated
Porsche Boxster 986 2.7 - S3.2 '00-'04
Total Length=125mm
Diameter=2x89 Inlet(OD)=89mm



06-8611

S/Steel 304 - Carbon Fiber
Porsche 997 GT3 3.6i (415hp) '07-
Porsche 997 GT3 RS 3.6i (415hp) '07-
Porsche 997 GT3 3.8i (435hp) '09-
Porsche 997 GT3 RS 3.8i (450hp) '10-
Total Length=135mm
Diameter=2x89 (207x89mm)

With 152808



152808

S/Steel 304 - Carbon Fiber
Ferrari 458 Italia / Spider
Diameter=2x90 1x80
Inlet(OD)=2x113mm & 1x100mm

With 152808-01



152808-01

S/Steel 304 - Titanium (Burned)
Ferrari 458 Italia / Spider
Diameter=2x90 1x80
Inlet(OD)=2x113mm & 1x100mm



152475

S/Steel 304 - Brush Polished
Lamborghini Murcielago LP640
Total Length = 270mm
Dimensions = 280x120mm



152813-01

S/Steel 304
Ford Focus ST 2013
Total Length=155mm
Dimensions=275x75mm



152838

S/Steel 304 - Chrome Plated
Ford Focus ST Style
Total Length=240mm
Dimensions=275x75mm
Inlet(OD)=64mm



DIRECT FIT TAILPIPES



06-8601 Left & Right

S/Steel 304 - Chrome plated
PORSCHÉ 911-996 Turbo
Total Length= 110-100mm
Oval= 145x95mm
Inlet(ID)= 60mm



151672 Left & Right

S/Steel 304 - Chrome plated
Porsche 997 turbo (480hp) '06-'08
Porsche 997 turbo (500hp) '09-
Porsche 997 turbo S (530hp) '10-
Total Length= 140mm
Oval= 185x81mm
Inlet(ID)= 60mm



06-8606 Left & Right

S/Steel 304 - Chrome plated
Porsche 997 non-turbo Carrera S 3.8i (355hp) '04-'08
Porsche 997 non-turbo Carrera S 3.6i (325hp) '05-'08
Porsche 997 non-turbo Carrera 4S 3.8i (355hp) '05-'08
Total Length= 135mm
Oval= 185x81mm
Inlet(ID)= 60mm



06-8502

S/Steel 304 - Chrome plated
MERCEDES W163 ML320/ML350
Total Length= 285mm
Oval= 120x80mm
Inlet(ID)= 70mm



151644 Left & Right

S/Steel 304 - Chrome plated
Range Rover Sport TD V6-V8 '02-'09
Total Length = 210mm
Oval= 120x83mm
Inlet(ID)= 63mm



152241

S/Steel 304 - Chrome Plated
VOLVO XC90 2.5T
Total Length = 115mm
Oval= 190x83mm
Inlet (ID)= 64mm




151991 Left & Right


S/Steel 304 - Chrome plated
BMW X6 E71 to give an M Look
with 2 Plastic Cover Trims PC-X6
Diameter= 2x 80mm
Inlet (ID)= 67-60mm




DIRECT FIT TAILPIPES



151602-C Left & Right
S/Steel 304
VW Touareg 3.2i VR6 03-Up
Oval= 119x81mm
Inlet(ID)= 67mm



151602-TDi Left & Right
S/Steel 304
Fits ALL TDi models from 02-10
VW Touareg 3.6i VR6 (280Hp) 07-Up
VW Touareg 4.2i V8 (310Hp) 04-Up
Oval= 119x81mm
Inlet(ID)= 70mm



BL224-TDi Left & Right
S/Steel 304
Fits ALL TDi models from 02-10
VW Touareg 3.6i VR6 (280Hp) 07-Up
VW Touareg 4.2i V8 (310Hp) 04-Up
Oval= 152x95mm
Inlet(ID)= 70mm



151584
S/Steel 304 - Chrome plated
VW Golf MK5/6/7, AUDI A3, SEAT
Leon, Ibiza, Touran, BMW
Fits on pipes min 42mm - max 60mm
Total Length= 115mm
Diameter= 76mm
Inlet(ID)= 60mm



150227
S/Steel 304
SUZUKI Grand Vitara
Fits on pipes min 45mm - max 60mm
Total Length=200mm
Diameter= 76mm
Inlet(ID)= 60mm



152422-01
S/Steel 304 - Chrome plated
Fits Porsche 987 Boxster/Cayman 05-
Porsche 981 2012-
2xΦ89 Inlet(ID)= 58mm



06-8610
S/Steel 304 - Carbon fiber
Fits Porsche 987 Boxster/Cayman 05-
Porsche 981 2012-
2xΦ89 Inlet(ID)= 58mm



152644
S/Steel 304 - Chrome plated
Fits BMW 1 Series F20/F21 '2012-
"M Performance" Look
2xΦ76 Inlet(ID)= 60mm



152645
S/Steel 304 - Chrome plated
Fits BMW 3 Series F30/F31 '2012-
"M Performance" Look
2xΦ76 Inlet(ID)= 60mm



06-8605 Left & Right
S/Steel 304
Fits Porsche Carrera 993 '93-'98
Total Length= 145mm
Oval= 118x80mm
Inlet= 67mm

DIRECT FIT TAILPIPES



06-8612 Left & Right

S/Steel 304 - Chrome plated

Porsche Carrera 997 non turbo S3.8i (385hp) 2009-Up

Porsche Carrera 997 non turbo 4S 3.8i (385hp) 2009-Up

Porsche Carrera 997 non turbo GTS 3.8i (407hp) 2010-Up

Porsche Carrera 997 non turbo 4 GTS 3.8i (407hp) 2010-Up

Dimensions=2xΦ89 Inlet(ID)=58mm



06-8612-1 Left & Right

S/Steel 304 - Titanium

Porsche Carrera 997 non turbo S3.8i (385hp) 2009-Up

Porsche Carrera 997 non turbo 4S 3.8i (385hp) 2009-Up

Porsche Carrera 997 non turbo GTS 3.8i (407hp) 2010-Up

Porsche Carrera 997 non turbo 4 GTS 3.8i (407hp) 2010-Up

Dimensions=2xΦ89 Inlet(ID)=58mm



06-8612-2 Left & Right

S/Steel 304 - Carbon

Porsche Carrera 997 non turbo S3.8i (385hp) 2009-Up

Porsche Carrera 997 non turbo 4S 3.8i (385hp) 2009-Up

Porsche Carrera 997 non turbo GTS 3.8i (407hp) 2010-Up

Porsche Carrera 997 non turbo 4 GTS 3.8i (407hp) 2010-Up

Dimensions=2xΦ89 Inlet(ID)=58mm



152919 Left & Right

S/Steel 304 - Chrome plated

Porsche Carrera 911 997.2 Turbo 2010-2013

Dimensions=2xΦ89 Inlet(ID)=64mm



06-8613 Left & Right

S/Steel 304 - Chrome plated

Porsche 911 997 Turbo 2007-2009

Dimensions=2xΦ89 Inlet(ID)=70mm



"I couldn't find the sports car of my dreams, so I built it myself."
Ferdinand Porsche

DIRECT FIT TAILPIPES



152377-03 Left & Right
S/Steel 304 - Chrome plated
Audi R8 V8 4.2L
Fits the OEM bumper
Dimensions= 2x89
Inlet= 190x110mm



152377-05 Left & Right
S/Steel 304 - Carbon
Audi R8 V8 4.2L
Fits the OEM bumper
Dimensions= 2x89mm
Inlet= 190x110mm



152890 Left & Right
S/Steel 304
Volvo XC60 / V60
Dimensions=110x80
Inlet(ID)=50mm



151740-25
S/Steel 304 - Slant Cut - Set of 2pcs
Volvo V60 T4
Total Length = 150mm
Diameter = 101mm
Inlet(ID)=65.5mm



DIRECT FIT TAILPIPES



TR-3602 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes AMG E63 style
Total Length= 330mm
Outlet Dimensions= 255x90mm
Inlet(OD)= 64mm



TR-3604 Left & Right
S/Steel 304
Straight cut / Double Layer
Total Length= 310mm
Outlet Dimensions= 190x65mm
Inlet(OD)= 64mm



TR-3608 Left & Right
S/Steel 304
Slant cut / Double Layer
Total Length= 145mm
Outlet Diameter= 2x89mm
Inlet(OD)= 2x64mm

Inlet view



TR-3613 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes W221 S350/ S450/ S500/ S550
CL Class W216 / "AMG Look" / Year 2006-2013
OEM part no A2214902927 / A2214903027
Total Length= 190mm
Outlet Dimensions= 190x75mm



TR-3613A Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes W221 S Class / CL Class W216 "AMG Look"
Total Length= 190mm
Outlet Dimensions= 190x75mm
Inlet(OD)= 64mm



TR-3616A Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
"BMW X6 V8 Look"
Total Length= 320mm
Outlet Dimensions= 210x85mm
Inlet(OD)= 64mm



TR-3616 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
For BMW X6 E71 3.0idx 3.5idx 3.5ix 4.0d to give an 5.0i/ M50d V8 Look
with 2 Plastic Cover Trims PC-X6
Total Length= 410mm
Outlet Dimensions= 210x85mm
Inlet(ID)= 67mm



DIRECT FIT TAILPIPES



TR-3618 Left & Right
S/Steel 304 / Single Layer
Slant Cut & Side Slant Cut
Porsche Panamera Look
Total Length=230mm
OutletDimensions=190x70mm
Inlet(OD)=64mm



TR-3622 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
BMW 730-740 Series F01/F02
Total Length=140mm
OutletDimensions=170x70mm



TR-3629 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
BMW X5 3.0 E70 2007-2010 "V8 Look"
Total Length=350mm
Outlet Dimensions=140x75mm
Inlet(ID)=66mm



TR-3633 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
BMW 760 F01/F02 Quad tailpipes
Total Length=200mm
Outlet Dimensions=240x75mm



TR-3637 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Porsche Cayenne Turbo S MK2 957 2007-2010
Total Length= 490mm
Outlet Dimensions= 240x90mm
Inlet= 76mm



TR-3639 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Porsche Cayenne Turbo 958 2011-2014
Fits the basic V6 and Diesel models
Total Length= 470mm
Outlet Dimensions= 210x90mm
Inlet= 66mm



TR-3641 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Fits: Range Rover Petrol '10-'13 "Range Rover Autobiography" Look
Fits all Range Rover SPORT Petrol models
with the Autobiography rear bumper
Total Length= 310mm
Outlet Dimensions= 120x115mm
Inlet(ID)= 60mm



TR-3645 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
«M/des AMG E63» style
Total Length= 280mm
Outlet Dimensions= 255x90mm
Inlet(OD)= 64mm

DIRECT FIT TAILPIPES



TR-3648 Left & Right

S/Steel 304

Slant Cut & Side Slant

Fits: Range Rover Diesel 2005-2013 "Range Rover Autobiography" Look

Fits all Range Rover SPORT Diesel models

with the Autobiography rear bumper

Total Length= 310mm

Dimensions= 120x115mm

Inlet(ID)= 60mm



TR-3650 Left & Right

S/Steel 304

Slant Cut & Side Slant

Mercedes W221 S300/ S350/ S450/ S500/ S550/ S600

ML350/ CL Class W216/ R350/ A45/ GLA45

"AMG Look" Quad style / Year 2006-2013

Total Length= 190mm

Dimensions= 190x75mm



TR-3652A Left & Right

S/Steel 304

Slant Cut & Side Slant Cut

Mercedes W212 E Class / W176 A Class

Total Length= 250mm

Dimensions= 120x70mm

Inlet(ID) = 51mm



TR-3653 Left & Right

S/Steel 304

Slant Cut & Side Slant Cut

Single layer / «WALD» style

Total Length= 280mm

Dimensions= 235x85mm

Inlet(OD)= 64mm



TR-3659 Left & Right

S/Steel 304

Slant Cut & Side Slant Cut

Porsche Panamera quad style

Total Length= 255mm

Outlet Diameter= 2x89mm

Inlet(OD)= 64mm



TR-3660 Left & Right

S/Steel 304

Slant Cut & Side Slant Cut

Mercedes W221 AMG S63/S65

Total Length= 295mm

Dimensions= 250x75mm

Inlet(OD)= 64mm



TR-3661 Left & Right

S/Steel 304

Slant Cut & Side Slant Cut

Fits on Audi A4, A5, A6, A7, A8 to give an S4/S5/S6/S7/S8 look

Total Length= 265mm

Dimensions= 2x 90x70mm

Inlet(OD)= 54mm

DIRECT FIT TAILPIPES

Inlet(ID) = Inside Diameter
Inlet(OD) = Outside Diameter



TR-3663 Left & Right
S/Steel 304 / Single layer
Slant Cut & Side Slant Cut
Fits: BMW F10/ F11/ F12/ F13 535i/ 535d/ 640i/ 640d
'BMW 550i-650i' style
Total Length= 150mm
Dimensions= 180x75mm
Inlet(ID)= 67mm



TR-3664 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Porsche Panamera 970 2014-2016 4S Turbo
Total Length= 240mm
Dimensions= 220x80mm
Inlet(ID)= 102x54mm



TR-3665 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes W222 AMG S63/S65
Total Length= 235mm
Dimensions= 260x75mm



TR-3671 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
BMW X5 F15 2014-2017 M-Sport Style
Total Length = 380mm(Left) & 300mm (Right)
Dimensions = 185x75mm
Inlet(ID) = 70mm



TR-3682 Left & Right
S/Steel 304 / Single Layer
Slant Cut & Side Slant Cut
AUDI A8/S8 W12 2015
Total Length = 150mm
Dimensions = 290x70mm
Inlet(ID) = 60mm



TR-3675 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes C-Class W205 Avantgarde
Mercedes E-Class W213 Avantgarde
Total Length = 210mm
Dimensions = 270x70mm



DIRECT FIT TAILPIPES



TR-3687 Left & Right

S/Steel 304
Straight Cut
«BMW M5» style
Total Length= 190-175mm
Outlet Diameter= 2x89mm
Inlet(OD)= 64mm



TR-3689 Left & Right

S/Steel 304
Slant Cut & Side Slant Cut
Porsche Cayenne Turbo '15-'16
Total Length= 440mm
Dimensions= 205x100mm
Inlet(OD)= 70mm



TR-3690 Left & Right

S/Steel 304
Slant Cut & Side Slant Cut
Suitable for Audi A3 8v Sedan Sportback Coupe '12-'17
to give an 'S3 Look'
The Right Tip is Dummy
Total Length= 124mm
Dimensions= 2x 89x70mm



TR-3691 Left & Right

S/Steel 304
Slant Cut & Side Slant Cut
Suitable for Audi A4 B8 B9 '09-'15 to give an 'S4 Look'
The Right Tip is Dummy
Total Length= 112mm
Outlet Diameter= 2x90mm



TR-3692 Left & Right

S/Steel 304 / Black Chrome
Slant Cut
Porsche Macan 2.0T '14-'24 'GTS Look'
Total Length= 270-230mm
Outlet Diameter= 2x100mm
Inlet(ID)= 60mm

Before



After



TR-3693 Left & Right

S/Steel 304
Slant Cut & Side Slant Cut
Porsche Panamera 971 '17-'19 'GTS Look'
Total Length= 178-148mm
Outlet Diameter= 2x90mm
Inlet(ID)= 150x60mm



TR-3694 Left & Right

S/Steel 304 / Black Chrome
Slant Cut
Porsche Panamera 970 '14-'16 4S Turbo
Total Length= 166-141mm
Outlet Diameter= 2x100mm
Inlet(ID)= 100x60mm

DIRECT FIT TAILPIPES



TR-3695 Left & Right

S/Steel 304 / Aluminium / Brushed Polished
Slant Cut & Side Slant Cut
Porsche Cayenne V6 Turbo '15-'17 'GTS Look'
Total Length = 460mm
Outlet Diameter= 2x100mm
Inlet(OD)= 64mm



TR-3697 Left & Right

S/Steel 304 / Brushed Polished
Slant Cut & Side Slant Cut
Porsche Cayenne 9YA Turbo '17-
Total Length= 360mm
Outlet Diameter= 2x102mm
Inlet(ID)= 60mm




TR-3696 Left & Right

S/Steel 304 / Brushed Polished
Slant Cut & Side Slant Cut
Porsche Cayenne Turbo '15-'16
Total Length= 440mm
Dimensions= 200x100mm
Inlet(OD)= 68mm



TR-3698 Left & Right

S/Steel 304 / Black Chrome
Slant Cut & Side Slant Cut
Porsche Cayenne 9YA Turbo '17-
Total Length= 360mm
Outlet Diameter= 2x102mm
Inlet(ID)= 60mm



TR-3699 Left & Right

S/Steel 304 / Mirror Polished
Slant Cut & Side Slant Cut
Porsche Cayenne 9YA Turbo '17-
Total Length= 370mm
Outlet Diameter= 2x100mm
Inlet(ID)= 60mm



TR-3700 Left & Right

S/Steel 304 / Black Mat
Slant Cut
Porsche Cayenne V8 '11-'14
Total Length= 370mm
Outlet Diameter= 2x95mm
Inlet(OD)= 68mm



TR-3701 Left & Right

S/Steel 304 - Aluminium
Slant Cut & Side Slant Cut
Porsche Cayenne V8 '11-'14
Total Length= 375mm
Outlet Dimensions= 220x100mm
Inlet(OD)= 70mm

DIRECT FIT TAILPIPES



TR-3705 Left & Right

S/Steel 304

Slant Cut & Side Slant Cut

Mercedes C-Class W205 Avantgarde

Mercedes E-Class W213 Avantgarde

Total Length= 210mm

Dimensions= 270 x 80mm



TR-3732S Left & Right

S/Steel 304

Slant Cut & Side Slant Cut

Range Rover Sport '14-'21 "SVR Look"

Total Length= 200-160mm

Outlet Dimensions= 240x110mm

Inlet(ID)= 63mm



TR-3732B Left & Right

S/Steel 304 / Black Chrome

Slant Cut & Side Slant Cut

Range Rover Sport '14-'21 "SVR Look"

Total Length= 200-160mm

Outlet Dimensions= 240x110mm


Inlet(ID)= 63mm

TITANIUM TAILPIPES



18089

S/Steel 304 - Titanium
Total Length= 180mm
Diameter= 89mm
Inlet(OD)= 60-50mm
Straight Cut



18089S

S/Steel 304 - Titanium
Total Length= 180mm
Diameter= 89mm
Inlet(OD)= 60-50mm
Slant Cut




21089

S/Steel 304 - Titanium
Total Length= 210mm
Diameter= 89mm
Inlet(OD)= 60mm
Straight Cut
Includes a removable DB Killer




21089S

S/Steel 304 - Titanium
Total Length= 210mm
Diameter= 89mm
Inlet(OD)= 60mm
Slant Cut
Includes a removable DB Killer




200101

S/Steel 304 - Titanium
Total Length= 200mm
Diameter= 101mm
Inlet(OD)= 60-50mm
Straight Cut



200101S

S/Steel 304 - Titanium
Total Length= 200mm
Diameter= 101mm
Inlet(OD)= 60-50mm
Slant Cut



230101

S/Steel 304 - Titanium
Total Length= 230mm
Diameter= 101mm
Inlet(OD)= 60mm
Straight Cut
Includes a removable DB Killer

Titanium




Stainless Steel



Inlet(ID) = Inside Diameter
Inlet(OD)= Outside Diameter

STAINLESS STEEL TAILPIPES



MILD STEEL - CHROME PLATED

08-1003 ID Φ 38

08-1004 ID Φ 42

08-1005 ID Φ 45

08-1006 ID Φ 48

08-1007 ID Φ 50

08-1008 ID Φ 54

08-1009 ID Φ 60

08-1407 Fits on Φ 32- Φ 45 pipes

08-1408 Fits on Φ 32- Φ 48 pipes

08-1409 Fits on Φ 35- Φ 50 pipes

08-1410 Fits on Φ 38- Φ 55 pipes

08-1412 Fits on Φ 50- Φ 64 pipes



S/Steel 304 / Single Layer / Slant Cut

06-3453

Total Length= 190mm
Outlet Diameter= Φ 76
Inlet(OD)= Φ 50

06-3454

Total Length= 190mm
Outlet Diameter= Φ 89
Inlet(OD)= Φ 54

06-3455


Total Length= 190mm
Outlet Diameter= Φ 101
Inlet(OD)= Φ 60

06-3456

Total Length= 190mm
Outlet Diameter= Φ 101
Inlet(OD)= Φ 64

06-3457

Total Length= 190mm
Outlet Diameter= Φ 127
Inlet(OD)= Φ 76



S/Steel 304 / Single Layer / Slant Cut

B057-76

Total Length= 190mm
Outlet Diameter= Φ 76
Inlet(OD)= Φ 50

B057-89

Total Length= 190mm
Outlet Diameter= Φ 89
Inlet(OD)= Φ 54

B057-101

Total Length= 190mm
Outlet Diameter= Φ 101
Inlet(OD)= Φ 60

B057-114

Total Length= 190mm
Outlet Diameter= Φ 101
Inlet(OD)= Φ 64

B057-127

Total Length= 190mm
Outlet Diameter= Φ 127
Inlet(OD)= Φ 76



151510L Left

151510R Right

S/Steel 304

Slant Cut

Total Length= 190mm

Outlet Dimensions= 150x78mm

Inlet(OD)= Φ 60-50mm



151664

S/Steel 304 / Chrome plated
Slant Cut

'Porsche Boxster' Style

Total Length= 150mm

Outlet Dimensions= 180x90mm

Inlet(OD)= Φ 60mm

STAINLESS STEEL TAILPIPES



LF165L Left
LF165R Right
 S/Steel 304
 Slant Cut & Side Slant Cut
 Total Length=210mm
 Outlet Dimensions=145x80
 Inlet(OD)= Φ 64mm



LF166L Left
LF166R Right
 S/Steel / Chrome plated
 Slant Cut & Side Slant Cut
Lexus IS250-GS300
 Total Length= 150mm
 Outlet Dimensions= 125x95mm
 Inlet(OD)= Φ 60mm



151574L Left
151574R Right
 S/Steel 304 / Chrome plated
 Slant Cut / Single layer
"Mercedes AMG"Style
 Total Length= 220-210mm
 Outlet Dimensions= 226x70mm
 Inlet(OD)= Φ 64mm



152477 Left
152478 Right
 S/Steel 304 / Chrome plated
 Slant Cut / Single layer
"Mercedes AMG"Style
 Total Length= 260-250mm
 Outlet Dimensions=255x84mm
 Inlet(OD)= Φ 64mm



152590L Left
152590R Right
 S/Steel 304 / Chrome plated
 Slant Cut / Single layer
"Mercedes AMG"Style
 Total Length= 260-240mm
 Outlet Dimensions=250x84mm
 Inlet(OD)= Φ 64mm



152739-01 Left & Right
 S/Steel 304 / Chrome plated
 Slant Cut / Double layer
"Mercedes AMG C63"Style
Fits M/des W204 C280/C300
 Total Length= 178mm
 Outlet Dimensions= 250x73mm
 Inlet(ID)=100X60mm



151869L Left
151869R Right
 S/Steel 304 / Chrome plated
 Slant Cut & Side Slant Cut / Double layer
"Mercedes AMG"Style
 Total Length= 260-240mm
 Outlet Dimensions= 226x70mm
 Inlet(OD)= Φ 64mm

STAINLESS STEEL TAILPIPES



152211L Left

152211R Right

S/Steel 304 / Chrome plated

Slant Cut & Side Slant Cut / Double layer

"AMG W212 E350-E500" Look

Total Length= 155mm

Outlet Dimensions= 176x74mm

Inlet(OD)= $\Phi 60$ mm



152181-01L Left

152181-01R Right

S/Steel 304 with **Aluminium endings**

Slant Cut & Side Slant Cut / Single layer

Total Length= 200-175mm

Outlet Dimensions= 149x74mm

Inlet(OD)= $\Phi 64$ mm



TR-VW5 Left & Right

S/Steel 304 / Slant Cut

Suitable for VW Golf 5 to modify it to 'GTI look'

Total Length= 320-270mm

Outlet Diameter= 2x $\Phi 76$ mm

Inlet(OD)= 48mm



FT500

S/Steel 304 / Aluminized

Double Layer

Fiat 500 '07-up

Total Length= 80mm

Outlet Dimensions= 102x48mm

Inlet(OD)= $\Phi 50$ mm

STAINLESS STEEL TAILPIPES



188001

S/Steel 304 / Chrome plated / Slant Cut
For Bmw 318ci / A.Romeo 147 / Toyota Wish
Screw-On Type / Easy Installation
Fits on pipes with outside diameter 50/60mm
 Total Length= 140mm
 Outlet Dimensions= 107x71mm
 Inlet(ID)= Φ 50-60mm



151373

S/Steel 304 / Chrome plated
 Slant Cut & Side Slant Cut
For Bmw 116i-120i E81 / BMW 318i E46
Screw-On Type / Easy Installation
Fits on pipes with outside diameter 50/60mm
 Total Length= 80mm
 Outlet Dimensions= 115x80mm
 Inlet(ID)= Φ 50-60mm



150188

S/Steel 304
For Honda: Accord, Civic, Rafaga, Ascot, City, Concerto / Rover
Fits on pipes with outside diameter 38/42/45mm
 Total Length= 140mm
 Outlet Diameter= Φ 64mm
 Inlet(ID)= Φ 38-45mm



S/Steel 304 / Chrome plated / Slant Cut

151007-03C

Total Length= 170mm
 Outlet Diameter= Φ 76
 Inlet(OD)= Φ 60




151007-05C

Total Length= 170mm
 Outlet Diameter= Φ 101
 Inlet(OD)= Φ 60

151007-04C

Total Length= 170mm
 Outlet Diameter= Φ 89
 Inlet(OD)= Φ 60



151883L Left

151883R Right

S/Steel 304 / Chrome plated / Slant Cut
BMW M3 style
 Total Length= 205-195mm
 Outlet Diameter= 2x Φ 76mm
 Inlet(OD)= Φ 60mm



152513-01L Left

152513-01R Right

S/Steel 304 / Brushed Polished
 Slant Cut & Side Slant Cut
Mercedes W221 AMG S65
 Total Length= 240-195mm
 Outlet Dimensions= 246x79mm
 Inlet(OD)= Φ 64mm



STAINLESS STEEL TAILPIPES



25872L-B Left
25872R-B Right
 S/Steel 304
 Slant Cut & Side Slant Cut
Mercedes AMG E63 S65 Look
 Total Length= 235mm
 Outlet Dimensions= 258x72mm
 Inlet(OD)= Φ 64mm



25872L Left
25872R Right
 S/Steel 304
 Slant Cut & Side Slant Cut
Mercedes AMG E63 S65 Look
 Total Length= 292mm
 Outlet Dimensions= 258x72mm
 Inlet(OD)= Φ 64mm



25872L-Y Left
25872R-Y Right
 S/Steel 304
 Slant Cut & Side Slant Cut
Mercedes AMG E63 S65 Look
 Total Length= 265mm
 Outlet Dimensions= 258x72mm
 Inlet(OD)= Φ 64mm



20270
 S/Steel 304 / Slant Cut
Mercedes AMG Look
 Total Length= 200mm
 Outlet Dimensions= 202x70mm
 Inlet(OD)= Φ 57mm



06-7720SL Left
06-7720SR Right
 S/Steel 304 / Chrome plated
 Slant Cut & Side Slant Cut
Ferrari style
 Total Length= 225-185mm
 Outlet Dimensions= 2x76mm
 Inlet(OD)= Φ 60mm



152245L Left
152245R Right
 S/Steel 304
 Slant Cut & Side Slant Cut
 Total Length= 175mm
 Outlet Dimensions= 137x90mm
 Inlet(OD)= Φ 60mm



151607 Left & Right
 S/Steel 304 / Chrome Plated
 Single Layer / Slant Cut & Side Slant Cut
BMW X5 E70 style
 Total Length= 150mm
 Outlet Dimensions= 158x90mm
 Inlet(OD)= Φ 70mm

STAINLESS STEEL TAILPIPES

Inlet(ID) = Inside Diameter
Inlet(OD)= Outside Diameter



BL28

S/Steel 304
Slant Cut / Double Layer
Total Length= 200mm
Outlet Dimensions= 2x 80x70mm
Inlet(OD)= Φ 60mm



BL29

S/Steel 304
Straight Cut / Double Layer
Total Length= 200mm
Outlet Dimensions= 2x76mm
Inlet(OD)= Φ 58mm



BL32

S/Steel 304
DTM Style
Total Length= 200mm
Outlet Diameter= 2x 76mm
Inlet(OD)= Φ 58mm



S/Steel 304 / Straight Cut / Double Layer

BL101-60

Total Length= 130mm
Outlet Diameter= Φ 60
Inlet(OD)= Φ 50

BL101-89

Total Length= 205mm
Outlet Diameter= Φ 89
Inlet(OD)= Φ 58

BL101-76

Total Length= 130mm
Outlet Diameter= Φ 76
Inlet(OD)= Φ 50

BL101-101

Total Length= 200mm
Outlet Diameter= Φ 101
Inlet(OD)= Φ 60-50

BL101-77

Total Length= 178mm
Outlet Diameter= Φ 76
Inlet(OD)= Φ 54



BL102

S/Steel 304 / Carbon Cover
Double Layer / Straight Cut
Total Length= 180mm
Outlet Diameter= 101mm
Inlet(OD)= Φ 60mm



BL111

S/Steel 304
Slant Cut / Double Layer
Total Length = 215mm
Outlet Diameter = 2x80mm
Inlet(OD) = Φ 58mm



S/Steel 304 / Slant Cut / Double Layer

BL114-60

Total Length= 130mm
Outlet Diameter= Φ 60
Inlet(OD)= Φ 50

BL114-101

Total Length= 215mm
Outlet Diameter= Φ 101
Inlet(OD)= Φ 60

BL114-76

Total Length= 130mm
Outlet Diameter= Φ 76
Inlet(OD)= Φ 54

BL114-114

Total Length= 190mm
Outlet Diameter= Φ 114
Inlet(OD)= Φ 64

BL114-77

Total Length= 178mm
Outlet Diameter= Φ 76
Inlet(OD)= Φ 58

BL114-127

Total Length= 190mm
Outlet Diameter= Φ 127
Inlet(OD)= Φ 64

BL114-89

Total Length= 215mm
Outlet Diameter= Φ 89
Inlet(OD)= Φ 58



BL116

S/Steel 304
Slant Cut / Double Layer
Total Length = 178mm
Outlet Dimensions = 117x85mm
Inlet(OD) = Φ 60-50mm



BL117

S/Steel 304
Straight Cut / Double Layer
Total Length = 178mm
Outlet Dimensions = 117x85mm
Inlet(OD) = Φ 54mm

STAINLESS STEEL TAILPIPES



BL135

S/Steel 304
Slant Cut / Double Layer
Total Length= 210mm
Outlet Dimensions= 2x 83x70mm
Inlet(OD)= Φ 54mm



BL139

S/Steel 304
Slant Cut / Single Layer
Total Length= 178mm
Outlet Dimensions= 117x85mm
Inlet(OD)= Φ 50-60mm



BL142

S/Steel 304
Slant Cut / Single Layer
"CAMARO" Style
Total Length= 254mm
Outlet Dimensions = 200x50mm
Inlet(OD)= Φ 64mm



BL142-1

S/Steel 304
Straight Cut / Single Layer
"CAMARO" Style - Offcenter
Total Length= 254mm
Outlet Dimensions= 200x50mm
Inlet(OD)= Φ 60mm



BL143

S/Steel 304 / Slant Cut
Total Length= 160mm
Outlet Dimensions= 124x67mm
Inlet(OD)= Φ 51mm



BL153L Left BL153R Right

S/Steel 304
Slant Cut / Single Layer
Total Length= 175-145mm
Outlet Dimensions= 138x89mm
Inlet(OD)= Φ 58mm



BL158

S/Steel 304 / Slant Cut
Total Length= 118mm
Outlet Dimensions= 84x72mm
Inlet(OD)= Φ 55mm



BL154L Left BL154R Right


S/Steel 304
Slant Cut / Single Layer
"Porsche 911-996" Style
Total Length= 167mm
Outlet Dimensions= 157x79mm
Inlet(OD)= Φ 60mm



BL159

S/Steel 304
Straight Cut / Double Layer
Total Length= 160mm
Outlet Dimensions= 140x70mm
Inlet(OD)= Φ 58-50mm

STAINLESS STEEL TAILPIPES



BL161L Left
BL161R Right
 S/Steel 304
 Slant & Side Cut / Double Layer
"AUDI RS"- "GOLF 5/6/7" Style
 Total Length= 203mm
 Outlet Dimensions= 152x95mm
 Inlet(OD)= Φ 60mm



BL161VBL Left
BL161VBR Right
 S/Steel 304 / Black Chrome
 Slant & Side Cut / Double Layer
"AUDI RS"- "GOLF 5/6/7" Style
 Total Length= 203mm
 Outlet Dimensions= 152x95mm
 Inlet(OD)= Φ 60mm



BL161L-C Left
BL161R-C Right
 S/Steel 304 / Carbon Cover
 Slant & Side Cut / Double Layer
"AUDI RS"- "GOLF 5/6/7" Style
 Total Length= 210mm
 Outlet Dimensions= 175x120mm
 Inlet(ID)= Φ 60mm



BL162L Left
BL162R Right
 S/Steel 304
 Slant & Side Cut / Double Layer
"LEXUS" style
 Total Length= 200mm
 Outlet Dimensions= 119x81mm
 Inlet(OD)= Φ 60mm



BL164
 S/Steel 304
 Slant Cut / Double Layer
 Total Length= 210mm
 Outlet Diameter= 2x76mm
 Inlet(OD)= Φ 58mm



BL164R
 S/Steel 304
 Slant Cut / Single Layer
 Total Length = 210mm
 Outlet Dimensions = 2x76mm
 Inlet(OD)= Φ 58mm



BL165
 S/Steel 304
 Slant Cut / Double Layer
"MINI Cooper R50" Style
 Total Length= 140mm
 Outlet Dimensions= 96x82mm
 Inlet(OD)= Φ 51mm



BL166
 S/Steel 304
 Slant Cut / Single Layer
"Peugeot RC" Style
 Total Length= 220mm
 Outlet Dimensions= 160x 70mm
 Inlet(OD)= Φ 58mm



BL167L Left
BL167R Right
 S/Steel 304
 Slant & Side Cut / Single Layer
Fits BMW 320i / 323i / 328i E46
 Total Length= 115mm
 Outlet Dimensions= 71x70mm
 Inlet(OD)= Φ 45mm


STAINLESS STEEL TAILPIPES



BL168
S/Steel 304
Slant Cut / Double Layer
Total Length= 85mm
Outlet Dimensions= 120x78mm
Inlet(OD)= Φ 51mm



BL171L Left
BL171R Right
S/Steel 304
Slant Cut / Double Layer
Mercedes AMG / VW Golf 7
Total Length= 160-150mm
Outlet Dimensions= 2x 96x72mm
Inlet(OD)= Φ 60mm



BL172
S/Steel 304
Slant Cut / Double Layer
Total Length= 210mm
Outlet Dimensions= 152x78mm
Inlet(OD)= 152x78mm



BL173
S/Steel 304
Slant Cut / Double Layer
Total Length= 210mm
Outlet Dimensions= 152x78mm
Inlet(OD)= Φ 60-50mm



BL183
S/Steel 304
Straight Cut / Double Layer
Total Length= 188mm
Outlet Dimensions= 159x70mm
Inlet(OD)= Φ 54-50mm



S/Steel 304 / Slant Cut / Double Layer

BL182-76
Total Length= 130mm
Outlet Diameter= Φ 76
Inlet(OD)= Φ 50

BL182-101
Total Length= 200mm
Outlet Diameter= Φ 101
Inlet(OD)= Φ 60-50

BL182-127
Total Length= 200mm
Outlet Diameter= Φ 127
Inlet(OD)= Φ 76

BL182-89
Total Length= 200mm
Outlet Diameter= Φ 89
Inlet(OD)= Φ 60-50

BL182-114
Total Length= 200mm
Outlet Diameter= Φ 114
Inlet(OD)= Φ 64



BL186L Left
BL186R Right
S/Steel 304
Slant & Side Cut / Double Layer
"BMW X5/645i" Style
Total Length= 195mm
Outlet Dimensions= 174x93mm
Inlet(OD)= Φ 60mm



BL188L Left
BL188R Right
S/Steel 304
Slant Cut / Double Layer
"VW Golf GTi" Style
Total Length= 200-190mm
Outlet Dimensions= 2x Φ 76mm
Inlet(OD)= Φ 60mm



BL189L Left
BL189R Right
S/Steel 304
Slant Cut / Double Layer
Total Length= 160-150mm
Outlet Dimensions= 2x Φ 76mm
Inlet(OD)= Φ 60mm

STAINLESS STEEL TAILPIPES



S/Steel 304 / Slant Cut / Double Layer **Honda Accord Style**

BL190-76

Total Length= 130mm
Outlet Diameter= $\Phi 76$
Inlet(OD)= $\Phi 54$

BL190-101

Total Length= 170mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 64$

BL190-127

Total Length= 200mm
Outlet Diameter= $\Phi 127$
Inlet(OD)= $\Phi 76$

BL190-89

Total Length= 170mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 60$

BL190-114

Total Length= 190mm
Outlet Diameter= $\Phi 114$
Inlet(OD)= $\Phi 64$



BL191

S/Steel 304
Straight Cut / Single Layer
Total Length= 200-190mm
Outlet Dimensions= 2x64mm
Inlet(OD)= $\Phi 64$ mm



S/Steel 304 / Straight Cut / Single Layer / **"BMW M5 E39" Style**

BL191-70

Total Length= 250-240mm
Outlet Diameter= $\Phi 70$
Inlet(OD)= $\Phi 64$

BL191-80

Total Length= 260-250mm
Outlet Diameter= $\Phi 80$
Inlet(OD)= $\Phi 64$



BL192L Left

BL192R Right

S/Steel 304
Slant Cut / Double Layer
"Vauxhall" Style
Total Length= 220-210 mm
Outlet Dimensions= 207X53mm
Inlet(OD)= $\Phi 60$ mm




BL194

S/Steel 304
Slant Cut / Double Layer
Total Length= 180 mm
Outlet Dimensions= 95x70mm
Inlet(OD)= $\Phi 60$ -50mm



BL195

S/Steel 304
Slant Cut / Double Layer
Total Length= 180 mm
Outlet Dimensions= 120X80mm
Inlet(OD)= $\Phi 60$ -50mm



BL196

S/Steel 304
Slant Cut / Single Layer
Total Length= 200 mm
Outlet Dimensions= 152x75mm
Inlet(OD)= $\Phi 60$ -50mm

STAINLESS STEEL TAILPIPES



S/Steel 304 / Slant Cut / Double Layer

BL202-89

Total Length= 240mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 58$

BL202-101

Total Length= 240mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 58$

BL202-114

Total Length= 240mm
Outlet Diameter= $\Phi 114$
Inlet(OD)= $\Phi 58$



S/Steel 304 / Slant Cut / Double Layer / **Black Chrome**

BL202VB-89

Total Length= 240mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 58$

BL202VB-101

Total Length= 240mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 58$

BL202VB-114

Total Length= 240mm
Outlet Diameter= $\Phi 114$
Inlet(OD)= $\Phi 58$



BL204L Left

BL204R Right

S/Steel 304
Slant Cut / Double Layer
Total Length= 200-190 mm
Outlet Dimensions= 2x 95x70mm
Inlet(OD)= 60mm



BL205L Left

BL205R Right

S/Steel 304
Slant Cut / Single Layer
"BMW M3" Style
Total Length= 210-200 mm
Outlet Diameter= 2x 89mm
Inlet(OD)= 58mm



BL206L Left

BL206R Right

S/Steel 304
Slant Cut / Double Layer
Total Length= 200-190 mm
Outlet Dimensions= 2x $\Phi 76$ mm
Inlet(OD)= $\Phi 60$ mm



BL206L-89 Left


BL206R-89 Right

S/Steel 304
Slant Cut / Double Layer
Total Length= 200-190 mm
Outlet Dimensions= 2x $\Phi 89$ mm
Inlet(OD)= $\Phi 60$ mm

Fit on Audi A4, A5, A6, A7, A8 to give an S4/S5/S6/S7/S8 look

**To install our tips you must cut the OEM pipes and weld.
You also need to install an Audi S4/S6 diffuser or cut the OEM bumper.**

STAINLESS STEEL TAILPIPES



BL208

S/Steel 304
Slant Cut / Double Layer
Scirocco III/Golf 5/ Golf 6/ Seat Leon
Total Length= 90 mm
Outlet Dimensions= 76mm
Inlet(ID)= $\Phi 60$ mm



BL209

S/Steel 304
Straight Cut / Single Layer
Total Length= 180-173 mm
Outlet Dimensions= 157x80mm
Inlet(OD)= $\Phi 60$ -50mm



BL210

S/Steel 304
Straight Cut / Double Layer
Total Length= 200-190 mm
Outlet Dimensions= 2x $\Phi 76$ mm
Inlet(OD)= $\Phi 60$ mm



BL211

S/Steel 304
Straight Cut / Double Layer
Total Length= 160-150 mm
Outlet Dimensions= 2x $\Phi 76$ mm
Inlet(OD)= $\Phi 60$ mm



BL212

S/Steel 304
Straight Cut / Double Layer
Total Length= 160 mm
Outlet Dimensions= 2x $\Phi 76$ mm
Inlet(OD)= $\Phi 60$ mm



BL213

S/Steel 304
Diesel Type / Single Layer
Total Length= 210 mm
Outlet Dimensions= 2x $\Phi 76$ mm
Inlet(OD)= $\Phi 60$ mm



BL214L Left BL214R Right

S/Steel 304
Diesel Type / Single Layer
Total Length= 200-190 mm
Outlet Dimensions= 2x $\Phi 76$ mm
Inlet(OD)= $\Phi 60$ mm



BL215L Left BL215R Right

S/Steel 304
Slant & Side Cut/ Double Layer
Fits BMW X5 E70
Total Length= 190mm
Outlet Dimensions= 148x78mm
Inlet(OD)= $\Phi 60$ -50mm



BL216-76

S/Steel 304
Slant Cut/ Double Layer
Fits Mazda 3 2010-
Total Length= 155mm
Outlet Dimensions= 76mm
Inlet(ID)= $\Phi 55$ mm

STAINLESS STEEL TAILPIPES



BL217L Left
BL217R Right
 S/Steel 304
 Slant Cut / Double Layer
Toyota Aygo / Citroen C1 / Peugeot 107
 Total Length= 200-190 mm
 Outlet Dimensions= 2x $\Phi 60$ mm
 Inlet(OD)= $\Phi 58$ mm



BL218
 S/Steel 304
 Straight Cut / Double Layer
 Total Length= 200mm
 Outlet Dimensions= 2x $\Phi 60$ mm
 Inlet(OD)= $\Phi 58$ mm



BL219L Left
BL219R Right
 S/Steel 304
 Slant & Side Cut / Double Layer
"Mercedes AMG E63" Style / Candillac
 Total Length= 205-165 mm
 Outlet Dimensions= 215x80mm
 Inlet(OD)= $\Phi 60$ mm



BL220L Left
BL220R Right
 S/Steel 304
 Slant Cut / Double Layer
BMW M3/M5/M6 Style
 Total Length= 210-200 mm
 Outlet Diameter= 2x89mm
 Inlet(OD)= $\Phi 60$ mm




BL221L Left
BL221R Right
 S/Steel 304
 Slant Cut / Single Layer
"Mercedes AMG" Style
 Total Length= 200-185 mm
 Outlet Dimensions= 227x70mm
 Inlet(OD)= $\Phi 60$ mm




BL222L Left
BL222R Right
 S/Steel 304
 Slant Cut / Single Layer
"Mercedes AMG" Style
 Total Length= 200-185 mm
 Outlet Dimensions= 227x70mm
 Inlet(OD)= $\Phi 60$ mm

STAINLESS STEEL TAILPIPES



BL223

S/Steel 304
Straight Cut/ Double Layer
"Smart Brabus" Style
For Custom made exhausts
Total Length= 140mm
Outlet Dimensions= 2x76mm
Inlet(ID)= Φ 38mm



BL225

S/Steel 304
Slant Cut / "Shark" Style
Total Length= 254mm
Outlet Dimensions= 152x102mm
Inlet(OD)= Φ 60mm



BL226L Left
BL226R Right
S/Steel 304
Slant Cut/ Double Layer
"BMW M3/M5/M6" Style
Total Length= 210-200mm
Outlet Dimensions= 2x101mm
Inlet(OD)= 60mm



S/Steel 304 / Single Layer / "Side Exit" Style

BL227-60

Total Length= 400mm
Outlet Diameter= 2x Φ 60
Inlet(OD)= Φ 60

BL227-64

Total Length= 400mm
Outlet Diameter= 2x Φ 64
Inlet(OD)= Φ 64

BL227-76

Total Length= 400mm
Outlet Diameter= 2x Φ 76
Inlet(OD)= Φ 76



BL228


S/Steel 304
Straight Cut / Double Layer
"BMW M" Style
Total Length= 220-200mm
Outlet Dimensions= 2x80mm
Inlet(OD)= Φ 60mm



BL229

S/Steel 304
Straight Cut / Single Layer
"BMW M" Style
Total Length= 220-200mm
Outlet Dimensions= 2x80mm
Inlet(OD)= Φ 60mm

STAINLESS STEEL TAILPIPES



S/Steel 304 / Brushed Polished (MAT) / Slant Cut / Single Layer / Thickness: 2.0mm

BL230-76

Total Length= 190mm
Outlet Diameter= $\Phi 76$
Inlet(OD)= $\Phi 50$

BL230-89

Total Length= 190mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 60$

BL230-101

Total Length= 190mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 60$



S/Steel 304 / Brushed Polished (MAT) / Straight Cut / Single Layer / Thickness: 2.0mm

BL231-76

Total Length= 190mm
Outlet Diameter= $\Phi 76$
Inlet(OD)= $\Phi 50$

BL231-89

Total Length= 190mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 60$

BL231-101

Total Length= 190mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 60$

STAINLESS STEEL TAILPIPES

Stainless Steel



BL315L-76
BL315R-76

Total Length= 250mm
Outlet Diameter= **2x Φ 76**
Inlet(OD)= Φ 70- Φ 60
Single Layer / Slant Cut



BL315L-80
BL315R-80

Total Length= 250mm
Outlet Diameter= **2x Φ 80**
Inlet(OD)= Φ 70- Φ 60
Single Layer / Slant Cut



BL315L-89
BL315R-89

Total Length= 250mm
Outlet Diameter= **2x Φ 89**
Inlet(OD)= Φ 70- Φ 60
Single Layer / Slant Cut

Black PVD



BL315VBL-76
BL315VBR-76

Total Length= 250mm
Outlet Diameter= **2x Φ 76**
Inlet(OD)= Φ 70- Φ 60
Single Layer / Slant Cut / **Black PVD**



BL315VBL-80
BL315VBR-80

Total Length= 250mm
Outlet Diameter= **2x Φ 80**
Inlet(OD)= Φ 70- Φ 60
Single Layer / Slant Cut / **Black PVD**



BL315VBL-89
BL315VBR-89

Total Length= 250mm
Outlet Diameter= **2x Φ 89**
Inlet(OD)= Φ 70- Φ 60
Single Layer / Slant Cut / **Black PVD**

Brush Mat



BL315BRL-76
BL315BRR-76

Total Length= 250mm
Outlet Diameter= **2x Φ 76**
Inlet(OD)= Φ 70- Φ 60
Single Layer / Slant Cut / **Brush Mat**



BL315BRL-80
BL315BRR-80

Total Length= 250mm
Outlet Diameter= **2x Φ 80**
Inlet(OD)= Φ 70- Φ 60
Single Layer / Slant Cut / **Brush Mat**



BL315BRL-89
BL315BRR-89

Total Length= 250mm
Outlet Diameter= **2x Φ 89**
Inlet(OD)= Φ 70- Φ 60
Single Layer / Slant Cut / **Brush Mat**

STAINLESS STEEL TAILPIPES



A3007L Left
A3007R Right
 S/Steel 304 / Carbon
 Double Layer / Slant Cut
"AMG" Style - BMW "M" Style
 Outlet Dimensions= 2x89mm
 Total Length= 240-230mm
 Inlet(ID)= $\Phi 60$ mm




A4000
 S/Steel 304
 Single Layer / Slant Cut
 Outlet Dimensions= 210x50mm
 Total Length= 210mm
 Inlet(OD)= $\Phi 60$ mm



A4001
 S/Steel 304 / Single Layer / Slant Cut
"AMG" Style
 Outlet Dimensions= 240x85mm
 Total Length= 210mm
 Inlet(OD)= $\Phi 60$ mm



A039 Silver
B039 Blue (Burned)
M039 Black
 S/Steel 304 / Slant Cut
VW Golf/Passat, AUDI
 Total Length = 145mm
 Outlet Dimensions = 70mm
 Inlet(ID)= $\Phi 57$ mm
With Special clips which lock on the OEM tailpipes
No welding needed



A044 Silver
B044 Blue (Burned)
M044 Black
 S/Steel 304 / Slant Cut
VW Golf/Passat, AUDI
 Total Length = 150mm
 Outlet Dimensions = 76mm
 Inlet(ID)= $\Phi 64$ mm
With Special clips which lock on the OEM tailpipes
No welding needed



S/Steel 304 / Carbon / Double Layer / Slant Cut
A067
 Total Length= 155mm
 Outlet Diameter= $\Phi 89$
 Inlet(ID)= $\Phi 60$

A069
 Total Length= 155mm
 Outlet Diameter= $\Phi 114$
 Inlet(ID)= $\Phi 60$



S/Steel 304 / Carbon / Double Layer / Slant Cut
A070
 Total Length= 165mm
 Outlet Diameter= $\Phi 89$
 Inlet(ID)= $\Phi 60$

A072
 Total Length= 165mm
 Outlet Diameter= $\Phi 114$
 Inlet(ID)= $\Phi 60$



BMW "M" Style

S/Steel 304 / Carbon / Double Layer / Straight Cut
A073
 Total Length= 140mm
 Outlet Diameter= $\Phi 80$
 Inlet(ID)= $\Phi 60$

A073C
 Total Length= 150mm
 Outlet Diameter= $\Phi 101$
 Inlet(ID)= $\Phi 60$

A068
 Total Length= 155mm
 Outlet Diameter= $\Phi 101$
 Inlet(ID)= $\Phi 60$

A071
 Total Length= 165mm
 Outlet Diameter= $\Phi 101$
 Inlet(ID)= $\Phi 60$

A073B
 Total Length= 150mm
 Outlet Diameter= $\Phi 90$
 Inlet(ID)= $\Phi 60$

STAINLESS STEEL TAILPIPES



S/Steel 304 / Double Layer / Slant Cut

A090


Total Length= 165mm
Outlet Diameter= $\Phi 89$
Inlet(ID)= $\Phi 60$

A092

Total Length= 175mm
Outlet Diameter= $\Phi 114$
Inlet(ID)= $\Phi 60$

A091

Total Length= 165mm
Outlet Diameter= $\Phi 101$
Inlet(ID)= $\Phi 60$



S/Steel 304 / Double Layer / Straight Cut

B060

Total Length= 160mm
Outlet Diameter= $\Phi 76$
Inlet(OD)= $\Phi 51$

B062

Total Length= 160mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 60$

B064


Total Length= 180mm
Outlet Diameter= $\Phi 130$
Inlet(OD)= $\Phi 76$

B061

Total Length= 160mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 51$

B063

Total Length= 160mm
Outlet Diameter= $\Phi 114$
Inlet(OD)= $\Phi 64$



S/Steel 304 / Double Layer / Slant Cut

B060S

Total Length= 160mm
Outlet Diameter= $\Phi 76$
Inlet(OD)= $\Phi 51$

B062S

Total Length= 160mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 60$

B064S


Total Length= 180mm
Outlet Diameter= $\Phi 130$
Inlet(OD)= $\Phi 76$

B061S

Total Length= 160mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 51$

B063S

Total Length= 160mm
Outlet Diameter= $\Phi 114$
Inlet(OD)= $\Phi 64$



S/Steel 304 / Single Layer / Straight Cut

TR300-76

Total Length= 190mm
Outlet Diameter= $\Phi 76$
Inlet(OD)= $\Phi 76$

TR300-101

Total Length= 190mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 101$


TR300-89

Total Length= 190mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 89$



TR301

S/Steel 304
Double Layer / Straight Cut
BMW "M" Style
Total Length= 200 - 190mm
Outlet Dimensions= 2x76mm
Inlet(OD)= $\Phi 60$ mm



TR302

S/Steel 304 / Burned
Double Layer / Straight Cut
BMW "M" Style
Total Length= 200 - 190mm
Outlet Dimensions= 2x76mm
Inlet(OD)= $\Phi 60$ mm



TR303L Left

TR303R Right

S/Steel 304 / Carbon
Double Layer / Straight Cut
BMW "M" Style
Outlet Dimensions= 2x80mm
Total Length= 250-240mm
Inlet Diameter(ID)= $\Phi 60$ mm

STAINLESS STEEL TAILPIPES



BMW "M" Style

S/Steel 304 / Double Layer / Straight Cut

TR305-76

Total Length= 180mm
Outlet Diameter= $\Phi 76$
Inlet(OD)= $\Phi 50$

TR305-80

Total Length= 180mm
Outlet Diameter= $\Phi 80$
Inlet(OD)= $\Phi 54$

TR305-89

Total Length= 180mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 57$

TR305-101

Total Length= 180mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 60$



"Brabus" Style

S/Steel 304 / Double Layer / Slant Cut

TR306-89

Total Length= 190mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 57$


TR306-101

Total Length= 200mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 60$



TR307

S/Steel 304 / Carbon
Double Layer / Slant Cut
Outlet Dimensions= 115x85mm
Total Length= 170mm
Inlet(ID)= $\Phi 64$ mm



S/Steel 304 / Single Layer / Slant Cut

TR307-76

Total Length= 190mm
Outlet Diameter= $\Phi 76$
Inlet(OD)= $\Phi 76$

TR307-101

Total Length= 190mm
Outlet Diameter= $\Phi 101$
Inlet(OD)= $\Phi 101$

TR307-89

Total Length= 190mm
Outlet Diameter= $\Phi 89$
Inlet(OD)= $\Phi 89$



S/Steel 304 / Double Layer / Slant Cut / **Black Chrome**

TR308-76

Total Length= 155mm
Outlet Diameter= $\Phi 76$
Inlet(ID)= $\Phi 54$

TR308-101

Total Length= 175mm
Outlet Diameter= $\Phi 101$
Inlet(ID)= $\Phi 64$

TR308-89

Total Length= 155mm
Outlet Diameter= $\Phi 89$
Inlet(ID)= $\Phi 60$



S/Steel 304 / Double Layer / Slant Cut

TR309L-76 Left

TR309R-76 Right

Total Length= 210-190mm
Outlet Diameter= 2x $\Phi 76$
Inlet(OD)= $\Phi 60$

TR309L-101 Left

TR309R-101 Right

Total Length= 210-190mm
Outlet Diameter= 2x $\Phi 101$
Inlet(OD)= $\Phi 64$

TR309L-89 Left

TR309R-89 Right

Total Length= 210-190mm
Outlet Diameter= 2x $\Phi 89$
Inlet(OD)= $\Phi 60$

STAINLESS STEEL TAILPIPES



TR310-89


S/Steel 304
Brushed / Slant Cut
Total Length= 175mm
Outlet Diameter= 89mm
Inlet(ID)= $\Phi 60$ mm

TR310-114

S/Steel 304
Brushed / Slant Cut
Total Length= 175mm
Outlet Diameter= 114mm
Inlet(ID)= $\Phi 60$ mm

TR310-101

S/Steel 304
Brushed / Slant Cut
Total Length = 175mm
Outlet Diameter = 101mm
Inlet(ID)= $\Phi 60$ mm



TR314-114

S/Steel 304 / Slant Cut
Total Length= 200mm
Outlet Diameter= 114mm
Inlet(OD)= $\Phi 64$ mm



TR316L-76 TR316R-76

S/Steel 304
Brushed Mat / Slant Cut
Total Length= 240mm - 220mm
Outlet Diameter= 76mm
Inlet(ID)= $\Phi 57$ mm



EBM421A

S/Steel / Straight Cut
Mini Cooper R50/R52 1.6i '01-'09
Total Length= 85mm
Outlet Diameter= 80mm
Inlet(ID)= $\Phi 55$ mm
OEM No: 18101489602

