




TIKKOS RACING

Where Craftmanship Meets Excellence

SPARE PARTS **CATALOGUE**

Pipes / Perforated Pipes
Bend Pipes
Elbows / Pie Cuts
Y-Pipes / X-Pipes / S-Pipes
Pipe Connectors
Clamps
DB Killer
Heat Insulation Materials
Exhaust Baffles
V-Bands
Hangers

www.tikkosracing.com



STAINLESS STEEL STRAIGHT TUBES SUS304 POLISHED

S/Steel T304

1 Meter



1.2 MM

S89120 $\phi 89 \times 1.2 \text{ mm}$
S100120 $\phi 100 \times 1.2 \text{ mm}$
S114120 $\phi 114 \times 1.2 \text{ mm}$

1.5 MM

S8150 $\phi 8 \times 1.5 \text{ mm}$	S50150 $\phi 50 \times 1.5 \text{ mm}$
S10150 $\phi 10 \times 1.5 \text{ mm}$	S54150 $\phi 54 \times 1.5 \text{ mm}$
S12150 $\phi 12 \times 1.5 \text{ mm}$	S57150 $\phi 57 \times 1.5 \text{ mm}$
S14150 $\phi 14 \times 1.5 \text{ mm}$	S60150 $\phi 60 \times 1.5 \text{ mm}$
S16150 $\phi 16 \times 1.5 \text{ mm}$	S63150 $\phi 63 \times 1.5 \text{ mm}$
S18150 $\phi 18 \times 1.5 \text{ mm}$	S70150 $\phi 70 \times 1.5 \text{ mm}$
S20150 $\phi 20 \times 1.5 \text{ mm}$	S76150 $\phi 76 \times 1.5 \text{ mm}$
S22150 $\phi 22 \times 1.5 \text{ mm}$	S80150 $\phi 80 \times 1.5 \text{ mm}$
S25150 $\phi 25 \times 1.5 \text{ mm}$	S89150 $\phi 89 \times 1.5 \text{ mm}$
S28150 $\phi 28 \times 1.5 \text{ mm}$	S100150 $\phi 100 \times 1.5 \text{ mm}$
S30150 $\phi 30 \times 1.5 \text{ mm}$	S114150 $\phi 114 \times 1.5 \text{ mm}$
S32150 $\phi 32 \times 1.5 \text{ mm}$	S127150 $\phi 127 \times 1.5 \text{ mm}$
S35150 $\phi 35 \times 1.5 \text{ mm}$	
S38150 $\phi 38 \times 1.5 \text{ mm}$	
S42150 $\phi 42 \times 1.5 \text{ mm}$	
S45150 $\phi 45 \times 1.5 \text{ mm}$	
S48150 $\phi 48 \times 1.5 \text{ mm}$	


2.0 MM

S22200 $\phi 22 \times 2.0 \text{ mm}$
S25200 $\phi 25 \times 2.0 \text{ mm}$
S28200 $\phi 28 \times 2.0 \text{ mm}$
S30200 $\phi 30 \times 2.0 \text{ mm}$
S32200 $\phi 32 \times 2.0 \text{ mm}$
S35200 $\phi 35 \times 2.0 \text{ mm}$
S38200 $\phi 38 \times 2.0 \text{ mm}$
S42200 $\phi 42 \times 2.0 \text{ mm}$
S45200 $\phi 45 \times 2.0 \text{ mm}$
S48200 $\phi 48 \times 2.0 \text{ mm}$
S50200 $\phi 50 \times 2.0 \text{ mm}$
S54200 $\phi 54 \times 2.0 \text{ mm}$
S57200 $\phi 57 \times 2.0 \text{ mm}$
S60200 $\phi 60 \times 2.0 \text{ mm}$
S63200 $\phi 63 \times 2.0 \text{ mm}$
S70200 $\phi 70 \times 2.0 \text{ mm}$
S76200 $\phi 76 \times 2.0 \text{ mm}$

PERFORATED TUBES

S/STEEL 304

1 Meter



SPP35120 $\phi 35 \times 1.05 \text{ mm}$
SPP38120 $\phi 38 \times 1.2 \text{ mm}$
SPP42120 $\phi 42 \times 1.2 \text{ mm}$
SPP45120 $\phi 45 \times 1.2 \text{ mm}$
SPP48120 $\phi 48 \times 1.2 \text{ mm}$
SPP50120 $\phi 50 \times 1.2 \text{ mm}$
SPP54120 $\phi 54 \times 1.2 \text{ mm}$

SPP60120 $\phi 60 \times 1.05 \text{ mm}$
SPP64120 $\phi 64 \times 1.05 \text{ mm}$
SPP70120 $\phi 70 \times 1.05 \text{ mm}$
SPP76120 $\phi 76 \times 1.05 \text{ mm}$
New! SPP80120 $\phi 80 \times 1.05 \text{ mm}$
SPP89120 $\phi 89 \times 1.05 \text{ mm}$
SPP101120 $\phi 101 \times 1.05 \text{ mm}$

Thickness= 1.05mm ~ 1.2mm
 Diameter of holes= 3mm

ALUMINIZED


PP40150 $\phi 40 \times 1.5 \text{ mm}$
PP45150 $\phi 45 \times 1.5 \text{ mm}$
PP50150 $\phi 50 \times 1.5 \text{ mm}$
PP55150 $\phi 55 \times 1.5 \text{ mm}$

PP60150 $\phi 60 \times 1.5 \text{ mm}$
PP65150 $\phi 65 \times 1.5 \text{ mm}$
PP70150 $\phi 70 \times 1.5 \text{ mm}$
PP76150 $\phi 76 \times 1.5 \text{ mm}$

Thickness= 1.50mm

STAINLESS STEEL AND ALUMINIZED MANDREL BENDS

STAINLESS STEEL



Available diameters: 50/54/60/64/70/76
Available degrees: 30/45/75/90/180
Total length: 400mm
Thickness: 1.50mm

SB5030 $\Phi 50\text{mm} \times 30\text{dgrs}$
SB5045 $\Phi 50\text{mm} \times 45\text{dgrs}$
SB5075 $\Phi 50\text{mm} \times 75\text{dgrs}$
SB5090 $\Phi 50\text{mm} \times 90\text{dgrs}$
SB50180 $\Phi 50\text{mm} \times 180\text{dgrs}$

SB5430 $\Phi 54\text{mm} \times 30\text{dgrs}$
SB5445 $\Phi 54\text{mm} \times 45\text{dgrs}$
SB5475 $\Phi 54\text{mm} \times 75\text{dgrs}$
SB5490 $\Phi 54\text{mm} \times 90\text{dgrs}$
SB54180 $\Phi 54\text{mm} \times 180\text{dgrs}$


SB6030 $\Phi 60\text{mm} \times 30\text{dgrs}$
SB6045 $\Phi 60\text{mm} \times 45\text{dgrs}$
SB6075 $\Phi 60\text{mm} \times 75\text{dgrs}$
SB6090 $\Phi 60\text{mm} \times 90\text{dgrs}$
SB60180 $\Phi 60\text{mm} \times 180\text{dgrs}$

SB6430 $\Phi 64\text{mm} \times 30\text{dgrs}$
SB6445 $\Phi 64\text{mm} \times 45\text{dgrs}$
SB6475 $\Phi 64\text{mm} \times 75\text{dgrs}$
SB6490 $\Phi 64\text{mm} \times 90\text{dgrs}$
SB64180 $\Phi 64\text{mm} \times 180\text{dgrs}$

SB7030 $\Phi 70\text{mm} \times 30\text{dgrs}$
SB7045 $\Phi 70\text{mm} \times 45\text{dgrs}$
SB7075 $\Phi 70\text{mm} \times 75\text{dgrs}$
SB7090 $\Phi 70\text{mm} \times 90\text{dgrs}$
SB70180 $\Phi 70\text{mm} \times 180\text{dgrs}$

SB7630 $\Phi 76\text{mm} \times 30\text{dgrs}$
SB7645 $\Phi 76\text{mm} \times 45\text{dgrs}$
SB7675 $\Phi 76\text{mm} \times 75\text{dgrs}$
SB7690 $\Phi 76\text{mm} \times 90\text{dgrs}$
SB76180 $\Phi 76\text{mm} \times 180\text{dgrs}$

ALUMINIZED / GALVANIZED



Available diameters: 76/89/101/114/127
Available degrees: 30/45/75/90
Total length: 600-900mm
Thickness: 1.5-2.0mm

B7630 $\Phi 76\text{mm} \times 30\text{dgrs}$
B7645 $\Phi 76\text{mm} \times 45\text{dgrs}$
B7675 $\Phi 76\text{mm} \times 75\text{dgrs}$
B7690 $\Phi 76\text{mm} \times 90\text{dgrs}$

New! B8045 $\Phi 80\text{mm} \times 45\text{dgrs}$
New! B8090 $\Phi 80\text{mm} \times 90\text{dgrs}$

B8930 $\Phi 76\text{mm} \times 30\text{dgrs}$
B8945 $\Phi 76\text{mm} \times 45\text{dgrs}$
B8975 $\Phi 76\text{mm} \times 75\text{dgrs}$
B8990 $\Phi 76\text{mm} \times 90\text{dgrs}$

B10130 $\Phi 101\text{mm} \times 30\text{dgrs}$
B10145 $\Phi 101\text{mm} \times 45\text{dgrs}$
B10175 $\Phi 101\text{mm} \times 75\text{dgrs}$
B10190 $\Phi 101\text{mm} \times 90\text{dgrs}$

B11045 $\Phi 110\text{mm} \times 45\text{dgrs}$
B11090 $\Phi 110\text{mm} \times 90\text{dgrs}$

B11430 $\Phi 114\text{mm} \times 30\text{dgrs}$
B11445 $\Phi 114\text{mm} \times 45\text{dgrs}$
B11475 $\Phi 114\text{mm} \times 75\text{dgrs}$
B11490 $\Phi 114\text{mm} \times 90\text{dgrs}$

B12045 $\Phi 120\text{mm} \times 45\text{dgrs}$
B12090 $\Phi 120\text{mm} \times 90\text{dgrs}$

B12730 $\Phi 127\text{mm} \times 30\text{dgrs}$
B12745 $\Phi 127\text{mm} \times 45\text{dgrs}$
B12775 $\Phi 127\text{mm} \times 75\text{dgrs}$
B12790 $\Phi 127\text{mm} \times 90\text{dgrs}$

New! B13045 $\Phi 130\text{mm} \times 45\text{dgrs}$
New! B14090 $\Phi 130\text{mm} \times 90\text{dgrs}$

B14045 $\Phi 140\text{mm} \times 45\text{dgrs}$
B14090 $\Phi 140\text{mm} \times 90\text{dgrs}$

New! B15245 $\Phi 152\text{mm} \times 45\text{dgrs}$
New! B15290 $\Phi 152\text{mm} \times 90\text{dgrs}$

S/STEEL 304 ELBOWS 90°



Material: S/Steel SUS304

SHB38150 OD38x1.50mm
SHB42150 OD42x1.50mm
SHB45150 OD45x1.50mm
SHB48150 OD48x1.50mm
SHB50150 OD50x1.50mm
SHB54150 OD54x1.50mm
SHB57150 OD57x1.50mm
SHB60150 OD60x1.50mm
SHB64150 OD64x1.50mm
SHB70150 OD70x1.50mm
SHB76150 OD76x1.50mm
SHB80150 OD80x1.50mm
SHB89150 OD89x1.50mm
SHB101150 OD101x1.50mm
SHB114150 OD114x1.50mm
SHB127150 OD127x1.50mm
SHB152150 OD152x1.50mm
SHB160150 OD160x1.50mm

SHB38200 OD38x2.00mm
SHB42200 OD42x2.00mm
SHB45200 OD45x2.00mm
SHB48200 OD48x2.00mm
SHB50200 OD50x2.00mm
SHB54200 OD54x2.00mm
SHB60200 OD60x2.00mm
SHB64200 OD64x2.00mm
SHB70200 OD70x2.00mm
SHB76200 OD76x2.00mm

SHB38300 OD38x3.00mm
SHB42300 OD42x3.00mm
SHB45300 OD45x3.00mm
SHB48300 OD48x3.00mm
SHB50300 OD50x3.00mm

CASTING BENDS



Material: Mild Steel
Thickness: 2.5-4mm

CB22 Φ22mm
CB28 Φ28mm
CB33 Φ33mm
CB42 Φ42mm
CB50 Φ50mm
CB60 Φ60mm
CB76 Φ76mm
CB90 Φ90mm
CB100 Φ100mm
CB115 Φ115mm
CB140 Φ140mm
CB170 Φ170mm
CB220 Φ220mm


S/STEEL 304 ELBOWS 45°



Material: S/Steel SUS304

ELB45-64 OD64x1.50mm
ELB45-76 OD76x1.50mm

Exhaust Pie Cuts



Thickness: 1.5mm

STPC-50 Φ50x1.50mm 1.0D


STPC-57 Φ57x1.50mm 1.0D

STPC-64 Φ64x1.50mm 1.0D

STPC-70 Φ70x1.50mm 1.0D

STPC-76 Φ76x1.50mm 1.0D

***this item is sold individually**



Thickness: 1.5mm

PC38150 Φ38x1.50mm 1.5D

PC42150 Φ42x1.50mm 1.5D

PC45150 Φ45x1.50mm 1.5D

PC48150 Φ48x1.50mm 1.5D

PC50150 Φ50x1.50mm 1.5D

PC54150 Φ54x1.50mm 1.5D

PC60150 Φ60x1.50mm 1.5D

PC64150 Φ63.5x1.50mm 1.5D

PC70150 Φ70x1.50mm 1.5D

PC76150 Φ76x1.50mm 1.5D

PC80150 Φ80x1.50mm 1.5D

PC89150 Φ89x1.50mm 1.5D

PC101150 Φ101x1.50mm 1.5D


Thickness: 2.0mm

PC64200 Φ63.5x2.0mm 1.5D

PC76200 Φ76x2.0mm 1.5D

PC89200 Φ89x2.0mm 1.5D

*** each pack comes with 6 pieces**



Thickness: 1.5mm

TPC38150 Φ38x1.50mm 1.0D

TPC42150 Φ42x1.50mm 1.0D

TPC45150 Φ45x1.50mm 1.0D

TPC48150 Φ48x1.50mm 1.0D

TPC50150 Φ50x1.50mm 1.0D

TPC54150 Φ54x1.50mm 1.0D

TPC60150 Φ60x1.50mm 1.0D

TPC64150 Φ63.5x1.50mm 1.0D

TPC70150 Φ70x1.50mm 1.0D

TPC76150 Φ76x1.50mm 1.0D

New! TPC80150 Φ89x1.50mm 1.0D

TPC89150 Φ89x1.50mm 1.0D

TPC101150 Φ101x1.50mm 1.0D

Thickness: 2.0mm

TPC64200 Φ63.5x2.0mm 1.0D

TPC76200 Φ76x2.0mm 1.0D

TPC89200 Φ89x2.0mm 1.0D

*** each pack comes with 10 pieces**

S/Steel V-Bands & Clamps



Lock System



Female



Male

KVB-38 ID=Φ38
KVB-42 ID=Φ42
KVB-45 ID=Φ45
KVB-48 ID=Φ48
KVB-50 ID=Φ50
KVB-57 ID=Φ57

New! KVB-60 ID=Φ60
KVB-64 ID=Φ64
KVB-70 ID=Φ70
KVB-76 ID=Φ76
KVB-83 ID=Φ83
KVB-89 ID=Φ89

KVB-95 ID=Φ95
KVB-100 ID=Φ100
KVB-114 ID=Φ114
New! KVB-127 ID=Φ127
New! KVB-152 ID=Φ152

Each set includes:
 1x Female flange, 1x Male flange and 1x Clamp




S/STEEL FLANGES (1 PC)

VPF-38 Φ38
VPF-45 Φ45
VPF-50 Φ50
VPF-57 Φ57
VPF-60 Φ60
VPF-64 Φ64
VPF-70 Φ70
VPF-76 Φ76
VPF-83 Φ83
VPF-89 Φ89
VPF-100 Φ100
VPF-127 Φ127




S/STEEL CLAMPS (1 PC)

VBC-38 Φ38
VBC-45 Φ45
VBC-50 Φ50
VBC-57 Φ57
VBC-60 Φ60
VBC-64 Φ64
VBC-70 Φ70
VBC-76 Φ76
VBC-83 Φ83
VBC-89 Φ89
VBC-100 Φ100
VBC-127 Φ127



CODE	ID	OD	A
VPF-38	38mm	69mm	3mm
VPF-45	45mm	69mm	3mm
VPF-50	50mm	69mm	3mm
VPF-57	57mm	76mm	3mm
VPF-60	60mm	82mm	3mm
VPF-64	64mm	82mm	3mm
VPF-70	70mm	88mm	3mm
VPF-76	76mm	95mm	3mm
VPF-83	83mm	101mm	3mm
VPF-89	89mm	107mm	3mm
VPF-100	100mm	120mm	3mm
VPF-127	127mm	146mm	3mm




CODE	ID
VBC-38	69mm
VBC-45	69mm
VBC-50	69mm
VBC-57	76mm
VBC-60	82mm
VBC-64	82mm
VBC-70	88mm
VBC-76	95mm
VBC-83	101mm
VBC-89	107mm
VBC-100	120mm
VBC-127	146mm

Our V-Bands are designed for use with Our Sealing Flanges.

The advertised size refers to the outside diameter of the tubing that will slide through the inside diameter of the sealing flange. Our V-Band clamps and sealing flanges are **not designed specifically to be compatible with other manufactures flanges**, such as turbine outlets. See the diagram tables for compatibility.

Stainless Steel Y-Pipes



08T-066S A=70 B=108 IN=Φ54 OUT=2xΦ50
08T-087S A=90 B=108 IN=Φ54 OUT=2xΦ54
08T-095S A=100 B=108 IN=Φ54 OUT=2xΦ54
 S/Steel Y-pipe



YC-64 IN=64 OUT=50 L=140
YC-70 IN=70 OUT=54 L=140
YC-76 IN=76 OUT=60 L=140
 S/Steel Y-pipe




Y-PIPE-6051
 Length = 260mm
 INΦ64 OUTΦ54
 S/Steel Y-pipe



Y1
 L=80 INΦ=58 OUTΦ=52

Y2
 L=102 INΦ=58 OUTΦ=58
 S/Steel Y-pipe



Y3
 L=137 INΦ=64 OUTΦ=54 H110


Y4
 L=150 INΦ=64 OUTΦ=54 H120
 S/Steel Y-pipe




OFY-6080
 Y-pipe L150 INΦ60 OUTΦ60
 Suitable for custom made
 tailpipes 2x76mm
 S/Steel Y-pipe




OFY-6095
 Y-pipe L150 INΦ60 OUTΦ60
 Suitable for custom made
 tailpipes 2x89mm
 S/Steel Y-pipe




Y-5045
 Y-Pipe Length = 150mm
 INΦ=50 OUTΦ=45
 S/Steel Y-pipe



Y-5850
 Y-Pipe Length=150mm
 INΦ=58 OUTΦ=50
 S/Steel Y-pipe
 Suitable for custom made
 tailpipes 2x76mm




Y-6048
 Y-Pipe Length = 150mm
 INΦ=60 OUTΦ=48
 S/Steel Y-pipe



Y-6050
 Y-Pipe Length=150
 INΦ=60 OUTΦ=50
 S/Steel Y-pipe
 Suitable for custom made
 tailpipes 2x89mm



Y-7660
 Y-Pipe Length=170mm
 INΦ=76 OUTΦ=60
 S/Steel Y-pipe



Y-7664
 Y-Pipe Length=170mm
 INΦ=76 OUTΦ=64
 S/Steel Y-pipe

SPARE PARTS

Stainless Steel Y-Pipes



LYP-64

S/Steel Y-pipe
Length = 400mm
Height = 250mm
IN $\Phi 63.5$ OUT 2x $\Phi 63.5$



LYP-76

S/Steel Y-pipe
Length = 400mm
Height = 250mm
IN $\Phi 76$ OUT 2x $\Phi 76$

V-Pipes Stainless Steel



V-5080

S/Steel V-pipe



V-5485

S/Steel V-pipe



V-60130

S/Steel V-pipe



270104

S/Steel V-pipe

X-Pipes Stainless Steel



08B-310

L310mm OD $\Phi 60$ mm

08B-311

L310mm OD $\Phi 64$ mm

08B-312

L310mm OD $\Phi 76$ mm



X-PIPE-64

L300mm OD $\Phi 64$ mm


LCC=105mm

X-PIPE-76

L300mm OD $\Phi 76$ mm

LCC=115mm

S-Pipe Stainless Steel



OFPI-50

S-Pipe L80mm ODΦ50mm

OFPI-60


S-Pipe L80mm ODΦ60mm

OFPI-76


S-Pipe L85mm ODΦ76mm



Stainless Steel Hangers



Galvanized Hangers




SPARE PARTS

Decibel Killer (DB) Devices



TD76 ODΦ76mm
S/Steel DB Killer



TD89 ODΦ89mm
TD101 ODΦ101mm
TD115 ODΦ115mm
S/Steel DB Killer




TD89-50 ODΦ89mm
TD101-50 ODΦ101mm
TD115-50 ODΦ115mm
S/Steel DB Killer


Connectors




270098P
4-1 Casting S/S connector
Fits on 4 pipes Φ38




WRX-38
4-1 S/Steel connector
Fits on 4 pipes Φ38 each




WRX-42
4-1 S/Steel connector
Fits on 4 pipes Φ42 each




270131 3x38 IN50(OD)
270149 3x38 IN60(OD)
3-1 S/S Casting connector
Fits on 3 pipes Φ38 each



254083
S/Steel Casting Taper for
4-1 pipe connectors



254018
Thickness: 2.0mm
Material: Galvanized



254141
Thickness: 1.4mm
Material: S/Steel SUS304



250338
VW Type S/Steel Hanger
Thickness: 3.0mm
Material: S/Steel SUS304



225067
S/Steel Cone
Reducing the exhaust sound
Length=63mm
INΦ=60 OUTΦ=32

SPARE PARTS

S/Steel Accuseal Band Clamps



BC-50	55.5mm
BC-57	62.2mm
BC-64	69mm
BC-70	75.9mm
BC-76	81.9mm
BC-89	95mm
BC-100	105mm
BC-127	131mm



Compared with conventional U-clamps and flat band clamps, the AccuSeal stainless steel exhaust band clamps offer a much tighter seal by using a reaction block that transfers bolt torque into clamp strength assuring a tight seal all the way around. With the addition of these exhaust band clamps, the installation and removal time of your exhaust system is drastically cut down.


S/Steel Pipe Connectors



SPC-50	IDΦ50mm Length:125mm
SPC-54	IDΦ54mm Length:125mm
SPC-57	IDΦ57mm Length:125mm
SPC-60	IDΦ60mm Length:125mm
SPC-64	IDΦ64mm Length:125mm
SPC-70	IDΦ70mm Length:125mm
SPC-76	IDΦ76mm Length:125mm
SPC-89	IDΦ89mm Length:125mm

ID=Inside Diameter

Galvanized Pipe Connectors



R.401	IDΦ56mm Length:125mm
R.404	IDΦ40mm Length:125mm
R.406	IDΦ65mm Length:90mm
R.411	IDΦ45mm Length:125mm
R.432	IDΦ48mm Length:95mm
R.439	IDΦ42mm Length:90mm
R.445	IDΦ50.5mm Length:90mm
R.494	IDΦ60mm Length:125mm
R.497	IDΦ76mm Length:125mm
R.499	IDΦ70mm Length:80mm

ID=Inside Diameter

SPARE PARTS

Heavy-Duty Clamps

Galvanized



17-19	17-19mm	60-63	60-63mm	131-139	131-139mm
23-25	23-25mm	64-67	64-67mm	140-148	140-148mm
26-28	26-28mm	68-73	68-73mm	149-161	149-161mm
29-31	29-31mm	74-79	74-79mm	162-174	162-174mm
32-35	32-35mm	80-85	80-85mm	175-187	175-187mm
36-39	36-39mm	86-91	86-91mm	188-200	188-200mm
40-43	40-43mm	92-97	92-97mm	201-213	201-213mm
44-47	44-47mm	98-103	98-103mm	214-226	214-226mm
48-51	48-51mm	104-112	104-112mm	227-239	227-239mm
52-55	52-55mm	113-121	113-121mm	240-252	240-252mm
56-59	56-59mm	122-130	122-130mm		

S/Steel Hose Clips

S/Steel T304



008012	08-12mm	050070	50-70mm
008016	08-16mm	060080	60-80mm
012022	12-22mm	070090	70-90mm
016027	16-27mm	080100	80-100mm
020032	20-32mm	090110	90-110mm
025040	25-40mm	100120	100-120mm
030045	30-45mm	110130	110-130mm
032050	32-50mm	120140	120-140mm
040060	40-60mm	150170	150-170mm

U-Clamps



Galvanized material

UC-32	32mm M8	UC-64	64mm M8	UC-110	110mm M10
UC-35	35mm M8	UC-67	67mm M8	UC-115	115mm M10
UC-38	38mm M8	UC-70	70mm M8	UC-120	120mm M10
UC-42	42mm M8	UC-73	73mm M8	UC-130	130mm M10
UC-45	45mm M8	UC-76	76mm M8	New! UC-135	135mm M10
UC-48	48mm M8	New! UC-80	80mm M8	New! UC-142	142mm M10
UC-50	50mm M8	UC-83	83mm M10	UC-155	155mm M10
UC-54	54mm M8	UC-89	89mm M10	UC-165	165mm M10
UC-57	57mm M8	UC-95	95mm M10		
UC-60	60mm M8	UC-100	100mm M10		

SPARE PARTS - INSULATION MATERIALS

Wraps




WHT1000-3 30mm

WHT1000-5 50mm

Thickness =1.5mm / Length=15M

Heat resistance: 550 °C

Includes 4 Stainless Steel Tie Straps



TW-10 50mm

Thickness=1.5mm / Length= 10M

Heat resistance: 1100 °C

Includes 4 Stainless Steel Tie Straps



ALW-50 50mm

Thickness=1.5mm / Length=9M

Heat resistance: 550 °C

Includes 4 Stainless Steel Tie Straps



TW-25 25mm

TW-50 50mm

Thickness=1.5mm / Length=15M

Heat resistance: 1200 °C

Includes 4 Stainless Steel Tie Straps

CHART FOR ESTIMATING HOW MUCH WRAP YOU NEED

Pipe Diam.	30mm Wrap	50mm Wrap
35mm	592cm per meter of pipe	253cm per meter of pipe
38mm	642cm per meter of pipe	280cm per meter of pipe
42mm	693cm per meter of pipe	296cm per meter of pipe
45mm	742cm per meter of pipe	323cm per meter of pipe
48mm	802cm per meter of pipe	346cm per meter of pipe
50mm	855cm per meter of pipe	373cm per meter of pipe
54mm	912cm per meter of pipe	389cm per meter of pipe
57mm	955cm per meter of pipe	416cm per meter of pipe
63.5mm	1055cm per meter of pipe	439cm per meter of pipe
76mm	1148cm per meter of pipe	506cm per meter of pipe



SPARE PARTS - INSULATION MATERIALS



ESSF

Embossed Stainless Steel Foil HE
Thickness = 1mm
Dimensions = 100x100cm



MAT8

Self Adhesive Insulation Mat HE
Thickness = 8mm
Heat resistance = 1000 °C
Dimensions = 60x50 cm



HHSS2124

S/Steel Heat Shield
Dimensions = 50x60cm
Heat resistance = 1000 °C
Includes 8 Stainless Steel Tie Strap



HSL-1100

Self Adhesive Insulation
Heat Shield
Dimensions = 100x100cm
Heat resistance = 1100 °C




HSP-550

Self Adhesive Insulation
Heat Shield
Dimensions = 100x100cm
Heat resistance = 550 °C



CE10

High quality Glass fiber 'blanket' style
We sell it by kg (1m2 = 1.2kg)
Application temperature: 840° C



SPARE PARTS - INSULATION MATERIALS



Description:

500gr of Continuous Glass Fiber into PE (polyethylene) bags.

The operation is pretty simple.

First insert the bag into muffler chamber.

After start up of engine, the hot gases will melt the polyethylene bag and the glass fiber will fill out completely the whole chamber.

265037

Continuous Glass Fiber
in PE Bag - 500gr/Bag

Application Temperature: 650 °C

We sell it by bag



TECHNICAL DATA OF 265037 / GFB

Basic Material: **Glass Fiber**

Temperature Limit: **650 °C**

Softening Point: **840-915 °C**

Color: **White**

Combustion: **Incombustible**

Smell: **Odorless**



GFB

Continuous Glass Fiber
in Carton Box 13kg

Application Temperature: 650 °C

We sell it by kg



TR1000

S/Steel wire/kg

Application temperature: 700° C




SSW60

S/Steel wire 60micron Width=70mm

Continuous S/Steel Wire AISI 434

Application temperature: 800° C



S/STEEL 304 ROUND BAFFLES

T = Thickness



Φ73

BA73
T=1.2mm



Φ86

BA86
T=1.2mm



Φ90

BA90
T=1.5mm



Φ99

BA99
T=1.2mm



Φ110

BA110
T=1.5mm



Φ111

BA111
T=1.2mm



Φ122

BA122
T=1.5mm



Φ123

BA123
T=1.2mm



Φ125

BA125
T=1.5mm



Φ135

BA135
T=1.5mm



Φ140

BA140
T=1.5mm



Φ150

BA150
T=1.5mm



Φ156

BA156
T=1.2mm



Φ157

BA157
T=1.5mm



Φ178

BA178
T=1.2mm



Φ182

BA182
T=1.5mm

S/STEEL 304 ROUND BAFFLES



Φ202

BA202
T=1.5mm

S/STEEL 304 OVAL BAFFLES

T = Thickness



107x72

BA10772
T=1.2mm



61mm

BA10772-61
107x72mm T=1.2mm



160x97

BA16097
T=1.5mm



180x100

BA180100
T=1.5mm



187x113

BA187113
T=1.5mm



200x140

BA200140
T=1.5mm



220x110

BA220110
T=1.5mm



230x120

BA230120
T=1.5mm



220x140

BA220140
T=1.5mm



280x174

BA280174
T=1.5mm



280x200

BA280200
T=1.5mm

S/STEEL 304 CONE BAFFLES



Thickness = 1.5mm



BA76 Φ76
BA89 Φ89
BA101 Φ101



BA76-38 ID38
BA76-45 ID45
BA76-50 ID50



BA89-38 ID38
BA89-45 ID45
BA89-50 ID50



BA101-38 ID38
BA101-45 ID45
BA101-50 ID50
BA101-60 ID60
BA101-70 ID70

WIPER BLADES

Flat Multi Wiper Blades

Frameless Wiper Blades

FW-14 MULTI-FIT 14" 350mm
FW-15 MULTI-FIT 15" 375mm
FW-16 MULTI-FIT 16" 400mm
FW-17 MULTI-FIT 17" 430mm
FW-18 MULTI-FIT 18" 450mm
FW-19 MULTI-FIT 19" 480mm
FW-20 MULTI-FIT 20" 500mm

FW-21 MULTI-FIT 21" 530mm
FW-22 MULTI-FIT 22" 550mm
FW-23 MULTI-FIT 23" 580mm
FW-24 MULTI-FIT 24" 600mm
FW-25 MULTI-FIT 25" 635mm
FW-26 MULTI-FIT 26" 650mm
FW-27 MULTI-FIT 27" 685mm

FW-28 MULTI-FIT 28" 700mm
FW-30 MULTI-FIT 30" 760mm
FW-32 MULTI-FIT 32" 810mm




New 'AERO' Technology Wiper Blades for all types of weather

- For all Seasons
- Exclusive wiper structure
- Advanced aerodynamic design
- Improved durability
- Superior wiping performance
- Revolutionary quiet operation
- Reduce streaking and smearing
- Resistance to all adverse climates

Easy Installation / 10 in 1 Multifunction



RUBBER Refill 28" 700mm



TRUCKS Front Multi Wiper Blades

TFW-24 MULTI-FIT 24" 600mm
TFW-26 MULTI-FIT 26" 650mm
TFW-28 MULTI-FIT 28" 700mm
Especially for Trucks / Hook 12mm



Rear Multi Wiper Blades

RW-11 MULTI-FIT 11" 275mm
RW-12 MULTI-FIT 12" 300mm
RW-13 MULTI-FIT 13" 325mm
RW-14 MULTI-FIT 14" 350mm
RW-15 MULTI-FIT 15" 375mm
RW-16 MULTI-FIT 16" 400mm



Direct-Fit Rear Wiper Blades



RB-330

Length: 330mm
Suitable for:
Hyundai i30 '16-
Maserati Levante '16-
Jaguar F-Pace '16-
A.Romeo Stelvio '17-
Jaguar F-Pace '16-
Kia Niro '16-
Optima Sports Wagon '16-



RB-410

Length: 350mm
Suitable for:
Land Rover Discovery II '98-'05



RB-430

Length: 250mm
Suitable for:
MINI Countryman R60, Cooper R56



RB-460

Length: 400mm
Suitable for:
Renault Koleos '08-



RB-530

Length: 260mm
Suitable for:
Smart ForTwo MK2 '07-
Renault Megane Grandfour '03-'09,
Megane II Estate '03-'09, Modus '04-'05,
Scenic II '03-'09



RB-550

Length: 300mm
Suitable for:
Peugeot 207 '06-



RB-560

Length: 300mm
Suitable for:
Hyundai Tucson 7
Kia Sportage
Chevrolet Captiva



RB-570

Length: 300mm
Suitable for:
Citroen C1 '05-
Peugeot 107 '05-
Toyota Aygo '05-, Yaris MK1 '01-'05
Renault Twingo 93-07, Scenic MK3 '09-



RB-580

Length: 280mm
Suitable for:
Kia Soul '09-,
Sorento MK2 '09-, Rio MK3 '11-
Toyota Avensis Verso 01-05,
Corolla Verso 01-04, IQ '09-

Direct-Fit Rear Wiper Blades



RB-590

Length: 300mm
Suitable for:
Hyundai i30, ix35



RB-620

Length: 350mm
Suitable for:
Honda Fit '04-, CR-V '06-, Pilot '03-'11, Jazz '02-
Subaru Outback '03-, Forester '02-, Legacy '03-, Tribeca '06-'09, Impreza '07-, Infiniti FX '09-
Nissan X-Trail '04-, Murano '05-, AD
Mazda 2 '03-, Demio
Mitsubishi Shogun '07-, Lancer HBack '08-



RB-650

Length: 250mm
Suitable for:
Suzuki Swift '05-, SX4 '06-, Alto '09-
Mitsubishi ASX '10-
Fiat Sedici '06-'11



RB-660

Length: 300mm
Suitable for:
Daihatsu Material '07-'10, Terios '06-
Hyundai i20 '09-, ix20 '10-
Toyota Wish, Yaris 1.5G, Rav4 '03-, Highlander, Land Cruiser '07-, Previa '06-, Auris HBack '06-, Avensis Estate '03-'09, Corolla Estate '02-'07, IST
Lexus LX570
Suzuki Grand Vitara
Mazda 5 '05-'10, 6 MK1 '02-'08, 6 MK2 '08-
Ford I-Max
Dodge Journey '08-



RB-690

Length: 300mm
Suitable for:
Citroen C4 MK1 '04-'11
Ford Fiesta MK7 '08-, Focus MK2 Estate '08-'11, Focus MK3 '11-, Mondeo Estate '07-
Kia Picanto '04-
Renault Scenic MK3 '09-
Saab 9-3 Estate '05-'12
Toyota Yaris MK2 '06-
Opel Astra MK5 5doors HBack '04-'10, Astra MK5 Estate '04-'10, Astra MK5 Van '06-
Nissan Qashqai '07-



RB-600

Length: 400mm
Suitable for:
Toyota Previa '00-'06, Yaris Verso '02-'06, Prius '05-'08
Honda Fit Diesel



RB-630

Length: 300mm
Suitable for:
Alfa Romeo MiTo '08-
Fiat Grande Punto '05-'10, Punto Evo '09-
Honda Civic HBack '01-'05
Mercedes A-Class W169 '05-, E-Class Estate W212 '09-, GL-Class W164 '06-, GLK-Class X204, ML-Class W164 '05-, ML-Class W166 '11-, R-Class W251 '06-, Vaneo W414 '04-'06
Nissan Micra HBack '02-'05, Juke '10-
Peugeot 207SW '07-, 308 '07-, 508SW '10-, 3008 '09-, 1007 '05-'09
Renault Avantime '01-'03, Clio MK2 '98-'05, Campus MK2 '01-'08, Clio MK2 Van '98-'08, Clio MK3 Estate '07-, Grandtour MK3 '07-, Modus '05-, Twingo 2 '07-
Citroen C3 MK2 '09-
Opel Corsa MK3 HBack '06-, Insignia ST '08-
Dacia Duster '09-
Ford C-Max '10-
Hyundai IX20 '10-, Kia Venga '09-



RB-670

Length: 350mm
Suitable for:
Bmw X3 E83
Citroen C4 Picasso '05-, C4 Grant Picasso '06-
Ford Focus '06-'11, Galaxy MK2 '10-
Jaguar X-Type Estate '04-'10
Mazda 3 '03-'08
Nissan Cube '09-'11
Smart ForFour '04-
Mitsubishi Colt MK6 H.Back '04-
Peugeot 206SW '02-'06, 406SW '96-'04
Renault Kangoo '08-, Laguna Grandtour '07-, Megane Coupe '09-, Megane 3 H.Back '08-, Laguna MK3 Estate '08-
Rover 75 Tourer '01-'05, MG-ZT-T Estate '01-'05



RB-610

Length: 300mm
Suitable for:
Mitsubishi Outlander '07-, Grandis '04-, Pajero '09-, L-miev '10-
Toyota Corolla Verso '04-'09
Citroen C-Crosser '07-, C-Zero '10-
Honda Odyssey '03-, Accord Estate '03-
Suzuki Liana '06-
Nissan Micra HBack '10-, Note '06-, March '10-, Pathfinder '05-, TIIDA
Peugeot 4007 '07-
Proton Savvy '05-, Satria Neo '07-
Acura MDX
Toyota Auris '07-
BMW 1 Series (F20) '11-
Subaru XV '11-



RB-640

Length: 350mm
Suitable for:
Alfa Romeo Giulietta '10-
Citroen Berlingo MK2 '08-, C3 '02-'09, C8 '02-
Saxo '99-'04, Xantia Break '97-'01
Dacia Logan '07-
Fiat Stilo Multi Wagon '02-, Ulysse '02-, Scudo '07-
Lancia Phedra '02-
Nissan Almera HBack '00-'06
Peugeot 106 '95-'05, 206 HBack '98-'09, 307 HBack '01-'08, 307 Estate '02-'08, 807 '02-'10, Expert MK2 '07-, Partner MK2 '08-
Renault Clio MK3 '05-'07, Espace MK4 '02-, Laguna Grandtour '01-'07, Megane Grandtour '98-'03, Megane 3 Grandtour '09-, Scenic MK1 RX4 '00-'03
Opel Zafira MK2 '05-
Volvo XC60 '11-, XC90 '11-



RB-680

Length: 350mm
Suitable for:
Daihatsu Sirion II '04-
Hyundai Accent HBack '06-'10, i800 '08-, i40 Estate '11-, Santa Fe II '06-'12
Kia Carens III '06-, Cerato '04-, Mohave '09-, Rio '05-'11
Lexus RX '02-'08
Nissan Tiida '07-
Subaru Justy '08
Mazda 3 HBack '08-, 6 Fastback '07-, CX-5 '11-, CX-7 '06-, CX-9 '06-
Mitsubishi Outlander '03-'06
Toyota Corolla HBack '01-'06, Corolla Verso '01-'04, Corolla Wagon '00-'07

Direct-Fit Rear Wiper Blades



RB-700

Length: 400mm

Suitable for:

Chrysler Grand Voyager '08-

Citroen C5 '01-'03, Xsara Break '97-,

Xsara Picasso

Dacia Sandero '08-

Honda Accord H.Back '99-'03

Nissan Micra, Premira Wagon '01-,

Kubistar '03-'10, Primastar

Peugeot 306 '97-'03

Renault Clio MK1 '94-'98, Espace MK3 96-02,

Grand Espace MK3 '97-'02,

Extra/Express '94-99, Kangoo '97-'07,

Megane MK1 Coupe '96-'03,

Megane Scenic MK1 '97-'03, Vel satis '02-,

Trafic 3 '01-

Rover 25 '00-'05, Streetwise '03-'05,

MG ZS '01-'05, Commerce '03-'07

Opel Astra MK4 '97-'05, Combo MK2 '05-'12,

Corsa MK2 '00-'06,

Meriva '03-, Signum '03-'08,

Vectra H.Back '02-'05, Zafira MK1 '98-'05,

Combo Tour '01-, Vivaro '01-



RB-770

Length: 340mm

Suitable for:

Audi Q7 '06-, A3 MK2 '03-,

A4/S4 MK2 '00-'07, A6 MK3 '06-

Porsche Cayenne '02-'10

Seat Ibiza '08-, Altea '04-'09



RB-870

Length: 230mm

Suitable for:

Renault Megane HBack MK2 '02-'08

Opel Astra GTC MK1 '05-'09



RB-880

Length: 290mm

Suitable for:

Chrysler Delta '11-

Citroen C2 '03-, C3 Picano '09-,

C4 MK2 '10-, C5 Break 01-08, DS3 '10-

Fiat Bravo MK2 '07-, Panda MK4 '12-, 500

'07-

Ford KA '08-

Mercedes Benz C-class W204 '07-

MINI H.Back '04-

Peugeot 308sw '08-, 407sw '04-, 5008 '09-

Saab 9-3 X '10-

Opel Astra Coupe '97-'05,

Astra Estate MK4 '07-'04,

Astra Estate MK5 '04-'10



RB-900

Length: 300mm

Suitable for:

Opel Astra J '09-



RB-910

Length: 380mm

Suitable for:

Volvo V70 '03-'07, XC70 '02-'07

XC90 '03-'06



RB-920

Length: 330mm

Suitable for:

Fiat Bravo 3D '95-'01, Seicento '98-'04

Panda '03-'12, Stilo H.Back '01-'08, Punto

MK1 '94-'98, Multipla '00-'06

Alfa Romeo 147 '01-'09, Brera '06-'10

Lancia Ypsilon '03-'10, Y10 '85-'95, Musa

'04-



RB-930

Length: 360mm

Suitable for:

Fiat Punto MK2 '98-'05,

Marea Weekend '96-'02, Idea '04-

Alfa Romeo 156 Sport wagon '97-'06



RB-960

Length: 400mm

Suitable for:

Volvo C30 '09-



RB-970

Length: 300mm

Suitable for:

Hyundai i10



RB-970

Rear Arm + Wiper Blade

Suitable for:

Toyota Yaris/Vitz 99-05



Direct-Fit Front Wiper Blades



HY-029

Length: 700mm + 580mm

Suitable for:

HONDA Civic '06-




HY-E39

Length: 2x 500mm

Suitable for:

Audi A4 '01-'03

Stands for Wiper Blades




STAND-B

Big Stand for 60 wiper blades



STAND-S

Small Stand for 36 wiper blades



TR-R32-F

Golf 5 R32 Front bumper
Fits the 2doors & 4doors models



TR-R32

Golf 5 R32 Rear bumper
Fits the 2doors & 4doors models



TR-R32-S

Golf 5 R32 Sideskirts set
Fits the 2doors & 4doors models



TR-R32-L

Golf 5 R32 Sideskirts set
Fits the 2doors & 4doors models



BEFORE



AFTER



RDHA013

Made from GFK plastic(Fiber Glass), unpainted
Including installation accessories and instruction
Fits VW GOLF 6 GTI / GTD
in combination with R32/R20 exhaust



GF060931C

Carbon Fiber rear Diffuser
Fits all VW GOLF 5 / for GTi look
Suitable for 2doors & 4doors models



GF060932C

Carbon Fiber rear Diffuser
Fits all VW GOLF 5 / for GTi look
Suitable for 2doors & 4doors models



PC-X6

Left & Right
Plastic Cover Trims
For BMW X6 E71