TIKKOS RACING





Spare Parts



@tikkosracing

Stainless Steel Straight Tubes SUS304 Polished

S/Steel T304

1 Meter



1.2 mm

S89120 Φ89x1.2mm
S100120 Φ100x1.2mm
S114120 Φ114x1.2mm

1.5 mm


S8150 Φ8x1.5mm
S10150 Φ10x1.5mm
S12150 Φ12x1.5mm
S14150 Φ14x1.5mm
S16150 Φ16x1.5mm
S18150 Φ18x1.5mm
S20150 Φ20x1.5mm
S22150 Φ22x1.5mm
S25150 Φ25x1.5mm
S28150 Φ28x1.5mm
S30150 Φ30x1.5mm
S32150 Φ32x1.5mm
S35150 Φ35x1.5mm
S38150 Φ38x1.5mm
S42150 Φ42x1.5mm
S45150 Φ45x1.5mm
S48150 Φ48x1.5mm
S50150 Φ50x1.5mm
S54150 Φ54x1.5mm
S57150 Φ57x1.5mm
S60150 Φ60x1.5mm
S63150 Φ63x1.5mm
S70150 Φ70x1.5mm
S76150 Φ76x1.5mm
S80150 Φ80x1.5mm
S89150 Φ89x1.5mm
S100150 Φ100x1.5mm
S114150 Φ114x1.5mm
S127150 Φ127x1.5mm

2.0 mm

S22200 Φ22x2.0mm
S25200 Φ25x2.0mm
S28200 Φ28x2.0mm
S30200 Φ30x2.0mm
S32200 Φ32x2.0mm
S35200 Φ35x2.0mm
S38200 Φ38x2.0mm
S42200 Φ42x2.0mm
S45200 Φ45x2.0mm
S48200 Φ48x2.0mm
S50200 Φ50x2.0mm
S54200 Φ54x2.0mm
S57200 Φ57x2.0mm
S60200 Φ60x2.0mm
S63200 Φ63x2.0mm
S70200 Φ70x2.0mm
S76200 Φ76x2.0mm

Perforated Tubes

1 Meter



S/Steel 304

SPP35120 Φ35x1.05mm
SPP38120 Φ38x1.2mm
SPP42120 Φ42x1.2mm
SPP45120 Φ45x1.2mm
SPP48120 Φ48x1.2mm
SPP50120 Φ50x1.2mm
SPP54120 Φ54x1.2mm
SPP60120 Φ60x1.05mm
SPP64120 Φ64x1.05mm
SPP70120 Φ70x1.05mm
SPP76120 Φ76x1.05mm
New! **SPP80120** Φ80x1.05mm
SPP89120 Φ89x1.05mm
SPP101120 Φ101x1.05mm

Thickness= 1.05mm ~ 1.2mm
Diameter of holes= 3mm


Aluminized

PP40150 Φ40x1.5mm
PP45150 Φ45x1.5mm
PP50150 Φ50x1.5mm
PP55150 Φ55x1.5mm
PP60150 Φ60x1.5mm
PP65150 Φ65x1.5mm
PP70150 Φ70x1.5mm
PP76150 Φ76x1.5mm

Thickness= 1.50mm

Stainless Steel and Aluminized Mandrel Bends

Stainless Steel



Available diameters: 50/54/60/64/70/76
Available degrees: 30/45/75/90/180
Total length: 400mm
Thickness: 1.50mm

SB5030 Φ50mm x 30dgrs
SB5045 Φ50mm x 45dgrs
SB5075 Φ50mm x 75dgrs
SB5090 Φ50mm x 90dgrs
SB50180 Φ50mm x 180dgrs

SB5430 Φ54mm x 30dgrs
SB5445 Φ54mm x 45dgrs
SB5475 Φ54mm x 75dgrs
SB5490 Φ54mm x 90dgrs
SB54180 Φ54mm x 180dgrs


SB6030 Φ60mm x 30dgrs
SB6045 Φ60mm x 45dgrs
SB6075 Φ60mm x 75dgrs
SB6090 Φ60mm x 90dgrs
SB60180 Φ60mm x 180dgrs

SB6430 Φ64mm x 30dgrs
SB6445 Φ64mm x 45dgrs
SB6475 Φ64mm x 75dgrs
SB6490 Φ64mm x 90dgrs
SB64180 Φ64mm x 180dgrs

SB7030 Φ70mm x 30dgrs
SB7045 Φ70mm x 45dgrs
SB7075 Φ70mm x 75dgrs
SB7090 Φ70mm x 90dgrs
SB70180 Φ70mm x 180dgrs

SB7630 Φ76mm x 30dgrs
SB7645 Φ76mm x 45dgrs
SB7675 Φ76mm x 75dgrs
SB7690 Φ76mm x 90dgrs
SB76180 Φ76mm x 180dgrs

Aluminized / Galvanized



Available diameters: 76/89/101/114/127
Available degrees: 30/45/75/90
Total length: 600-900mm
Thickness: 1.5-2.0mm

B7630 Φ76mm x 30dgrs
B7645 Φ76mm x 45dgrs
B7675 Φ76mm x 75dgrs
B7690 Φ76mm x 90dgrs

New! **B8045** Φ80mm x 45dgrs
New! **B8090** Φ80mm x 90dgrs

B8930 Φ76mm x 30dgrs
B8945 Φ76mm x 45dgrs
B8975 Φ76mm x 75dgrs
B8990 Φ76mm x 90dgrs

B10130 Φ101mm x 30dgrs
B10145 Φ101mm x 45dgrs
B10175 Φ101mm x 75dgrs
B10190 Φ101mm x 90dgrs

B11045 Φ110mm x 45dgrs
B11090 Φ110mm x 90dgrs

B11430 Φ114mm x 30dgrs
B11445 Φ114mm x 45dgrs
B11475 Φ114mm x 75dgrs
B11490 Φ114mm x 90dgrs

B12045 Φ120mm x 45dgrs
B12090 Φ120mm x 90dgrs

B12730 Φ127mm x 30dgrs
B12745 Φ127mm x 45dgrs
B12775 Φ127mm x 75dgrs
B12790 Φ127mm x 90dgrs

New! **B13045** Φ130mm x 45dgrs
New! **B14090** Φ130mm x 90dgrs

B14045 Φ140mm x 45dgrs
B14090 Φ140mm x 90dgrs

New! **B15245** Φ152mm x 45dgrs
New! **B15290** Φ152mm x 90dgrs

S/STEEL 304 ELBOWS 90°



Material: S/Steel SUS304

SHB38150 OD38x1.50mm
SHB42150 OD42x1.50mm
SHB45150 OD45x1.50mm
SHB48150 OD48x1.50mm
SHB50150 OD50x1.50mm
SHB54150 OD54x1.50mm
SHB57150 OD57x1.50mm
SHB60150 OD60x1.50mm
SHB64150 OD64x1.50mm
SHB70150 OD70x1.50mm
SHB76150 OD76x1.50mm
SHB80150 OD80x1.50mm
SHB89150 OD89x1.50mm
SHB101150 OD101x1.50mm
SHB114150 OD114x1.50mm
SHB127150 OD127x1.50mm
SHB152150 OD152x1.50mm
SHB160150 OD160x1.50mm

SHB38200 OD38x2.00mm
SHB42200 OD42x2.00mm
SHB45200 OD45x2.00mm
SHB48200 OD48x2.00mm
SHB50200 OD50x2.00mm
SHB54200 OD54x2.00mm
SHB60200 OD60x2.00mm
SHB64200 OD64x2.00mm
SHB70200 OD70x2.00mm
SHB76200 OD76x2.00mm

SHB38300 OD38x3.00mm
SHB42300 OD42x3.00mm
SHB45300 OD45x3.00mm
SHB48300 OD48x3.00mm
SHB50300 OD50x3.00mm

S/STEEL 304 ELBOWS 45°



Material: S/Steel SUS304

ELB45-38 OD38x1.50mm
ELB45-45 OD45x1.50mm
ELB45-50 OD50x1.50mm
ELB45-57 OD57x1.50mm
ELB45-64 OD64x1.50mm
ELB45-70 OD70x1.50mm
ELB45-76 OD76x1.50mm
ELB45-89 OD89x1.50mm
ELB45-101 OD101x1.50mm


CASTING BENDS



Material: Mild Steel
Thickness: 2.5-4mm

CB22 Φ22mm
CB28 Φ28mm
CB33 Φ33mm
CB42 Φ42mm
CB50 Φ50mm
CB60 Φ60mm
CB76 Φ76mm
CB90 Φ90mm
CB100 Φ100mm
CB115 Φ115mm
CB140 Φ140mm
CB170 Φ170mm
CB220 Φ220mm

Exhaust Pie Cuts




6 Pieces Equals 90°

Thickness: 1.5mm

STPC-50 Φ50x1.50mm 1.0D
STPC-57 Φ57x1.50mm 1.0D
STPC-64 Φ64x1.50mm 1.0D
STPC-70 Φ70x1.50mm 1.0D
STPC-76 Φ76x1.50mm 1.0D

*this item is sold individually



6 Pieces Equals 90°


Thickness: 1.5mm

PC38150 Φ38x1.50mm 1.5D
PC42150 Φ42x1.50mm 1.5D
PC45150 Φ45x1.50mm 1.5D
PC48150 Φ48x1.50mm 1.5D
PC50150 Φ50x1.50mm 1.5D
PC54150 Φ54x1.50mm 1.5D
PC60150 Φ60x1.50mm 1.5D
PC64150 Φ63.5x1.50mm 1.5D
PC70150 Φ70x1.50mm 1.5D
PC76150 Φ76x1.50mm 1.5D
PC80150 Φ80x1.50mm 1.5D
PC89150 Φ89x1.50mm 1.5D
PC101150 Φ101x1.50mm 1.5D

Thickness: 2.0mm

PC64200 Φ63.5x2.0mm 1.5D
PC76200 Φ76x2.0mm 1.5D
PC89200 Φ89x2.0mm 1.5D

*each pack comes with 6 pieces



10 Pieces Equals 90°

Thickness: 1.5mm

TPC38150 Φ38x1.50mm 1.0D
TPC42150 Φ42x1.50mm 1.0D
TPC45150 Φ45x1.50mm 1.0D
TPC48150 Φ48x1.50mm 1.0D
TPC50150 Φ50x1.50mm 1.0D
TPC54150 Φ54x1.50mm 1.0D
TPC60150 Φ60x1.50mm 1.0D
TPC64150 Φ63.5x1.50mm 1.0D
TPC70150 Φ70x1.50mm 1.0D
TPC76150 Φ76x1.50mm 1.0D
New! **TPC80150** Φ89x1.50mm 1.0D
TPC89150 Φ89x1.50mm 1.0D
TPC101150 Φ101x1.50mm 1.0D

Thickness: 2.0mm


TPC64200 Φ63.5x2.0mm 1.0D
TPC76200 Φ76x2.0mm 1.0D
TPC89200 Φ89x2.0mm 1.0D

*each pack comes with 10 pieces

S/Steel V-Bands & Clamps







KVB-38 ID=Φ38
KVB-42 ID=Φ42
KVB-45 ID=Φ45
KVB-48 ID=Φ48
KVB-50 ID=Φ50
New! **KVB-54** ID=Φ54

KVB-57 ID=Φ57
New! **KVB-60** ID=Φ60
KVB-64 ID=Φ64
KVB-70 ID=Φ70
KVB-76 ID=Φ76
KVB-83 ID=Φ83

KVB-89 ID=Φ89
KVB-95 ID=Φ95
KVB-100 ID=Φ100
KVB-114 ID=Φ114
New! **KVB-127** ID=Φ127
New! **KVB-152** ID=Φ152

Each set includes:
1x Female flange, 1x Male flange and 1x Clamp




S/Steel Flanges (1 pc)

VBF-38 Φ38
VBF-45 Φ45
VBF-50 Φ50
VBF-57 Φ57
VBF-60 Φ60
VBF-64 Φ64
VBF-70 Φ70
VBF-76 Φ76
VBF-83 Φ83
VBF-89 Φ89
VBF-100 Φ100
VBF-127 Φ127



S/Steel Clamps (1 pc)

VBC-38 Φ38
VBC-45 Φ45
VBC-50 Φ50
VBC-57 Φ57
VBC-60 Φ60
VBC-64 Φ64
VBC-70 Φ70
VBC-76 Φ76
VBC-83 Φ83
VBC-89 Φ89
VBC-100 Φ100
VBC-127 Φ127




CODE	ID	OD	A
VBF-38	38mm	69mm	3mm
VBF-45	45mm	69mm	3mm
VBF-50	50mm	69mm	3mm
VBF-57	57mm	76mm	3mm
VBF-60	60mm	82mm	3mm
VBF-64	64mm	82mm	3mm
VBF-70	70mm	88mm	3mm
VBF-76	76mm	95mm	3mm
VBF-83	83mm	101mm	3mm
VBF-89	89mm	107mm	3mm
VBF-100	100mm	120mm	3mm
VBF-127	127mm	146mm	3mm



CODE	ID
VBC-38	69mm
VBC-45	69mm
VBC-50	69mm
VBC-57	76mm
VBC-60	82mm
VBC-64	82mm
VBC-70	88mm
VBC-76	95mm
VBC-83	101mm
VBC-89	107mm
VBC-100	120mm
VBC-127	146mm

Our V-Bands are designed for use with Our Sealing Flanges.
The advertised size refers to the outside diameter of the tubing that will slide through the inside diameter of the sealing flange.
Our V-Band clamps and sealing flanges are not designed specifically to be compatible with other manufactures flanges, such as turbine outlets. See the diagram tables for compatibility.

Stainless Steel Y-Pipes




08T-066S A=70 B=108 IN=Φ54 OUT=2xΦ50
08T-087S A=90 B=108 IN=Φ54 OUT=2xΦ54
08T-095S A=100 B=108 IN=Φ54 OUT=2xΦ54
S/Steel Y-pipe




YC-64 IN=64 OUT=50 L=140
YC-70 IN=70 OUT=54 L=140
YC-76 IN=76 OUT=60 L=140
S/Steel Y-pipe



Y-PIPE-6051
Length = 260mm
INΦ64 OUTΦ54
S/Steel Y-pipe



Y1
L=80 INΦ=58 OUTΦ=52
Y2
L=102 INΦ=58 OUTΦ=58
S/Steel Y-pipe




Y3
L=137 INΦ=64 OUTΦ=54 H110
Y4
L=150 INΦ=64 OUTΦ=54 H120
S/Steel Y-pipe




OFY-6080
Y-pipe L150 INΦ60 OUTΦ60
Suitable for custom made
tailpipes 2x76mm
S/Steel Y-pipe




OFY-6095
Y-pipe L150 INΦ60 OUTΦ60
Suitable for custom made
tailpipes 2x89mm
S/Steel Y-pipe




Y-5045
Y-Pipe Length = 150mm
INΦ=50 OUTΦ=45
S/Steel Y-pipe



Y-5850
Y-Pipe Length=150mm
INΦ=58 OUTΦ=50
S/Steel Y-pipe
Suitable for custom made
tailpipes 2x76mm



Y-6048
Y-Pipe Length =150mm
INΦ=60 OUTΦ=48
S/Steel Y-pipe




Y-6050
Y-Pipe Length=150
INΦ=60 OUTΦ=50
S/Steel Y-pipe
Suitable for custom made
tailpipes 2x89mm



new

Y-7660
Y-Pipe Length=170mm
INΦ=76 OUTΦ=60
S/Steel Y-pipe
Suitable for custom made
tailpipes 2x101mm



Y-7664
Y-Pipe Length=170mm
INΦ=76 OUTΦ=64
S/Steel Y-pipe

Stainless Steel Y-Pipes




LYP-64
S/Steel Y-pipe
Length = 400mm
Height = 250mm
INΦ63.5 OUT 2xΦ63.5




LYP-76
S/Steel Y-pipe
Length = 400mm
Height = 250mm
INΦ76 OUT 2xΦ76

V-Pipes Stainless Steel



V-5080
S/Steel V-pipe



V-5485
S/Steel V-pipe



V-60130
S/Steel V-pipe



270104
S/Steel V-pipe

X-Pipes Stainless Steel



08B-310
L310mm ODΦ60mm

08B-311
L310mm ODΦ64mm

08B-312
L310mm ODΦ76mm




X-PIPE-64
L300mm ODΦ64mm
LCC=105mm

X-PIPE-76
L300mm ODΦ76mm
LCC=115mm

S-Pipe Stainless Steel






OFPI-50
S-Pipe L80mm ODΦ50mm

OFPI-60
S-Pipe L80mm ODΦ60mm


OFPI-76
S-Pipe L85mm ODΦ76mm



Stainless Steel Hangers




Galvanized Hangers




Decibel Killer (DB) Devices



TD76 ODΦ76mm
S/Steel DB Killer



TD89 ODΦ89mm
TD101 ODΦ101mm
TD115 ODΦ115mm
S/Steel DB Killer




TD89-50 ODΦ89mm
TD101-50 ODΦ101mm
TD115-50 ODΦ115mm
S/Steel DB Killer

Connectors




270098P
4-1 Casting S/S connector
Fits on 4 pipes Φ38




WRX-38
4-1 S/Steel connector
Fits on 4 pipes Φ38 each




WRX-42
4-1 S/Steel connector
Fits on 4 pipes Φ42 each




270131 3x38 IN50(OD)
270149 3x38 IN60(OD)
3-1 S/S Casting connector
Fits on 3 pipes Φ38 each



254083
S/Steel Casting Taper for
4-1 pipe connectors



254018
Thickness: 2.0mm
Material: Galvanized



254141
Thickness: 1.4mm
Material: S/Steel SUS304



250338
VW Type S/Steel Hanger
Thickness: 3.0mm
Material: S/Steel SUS304



225067
S/Steel Cone
Reducing the exhaust sound
Length=63mm
INΦ=60 OUTΦ=32

S/Steel Accuseal Band Clamps



BC-50 55.5mm
BC-57 62.2mm
BC-64 69mm
BC-70 75.9mm
BC-76 81.9mm
BC-89 95mm
BC-100 105mm
BC-127 131mm



Compared with conventional U-clamps and flat band clamps, the AccuSeal stainless steel exhaust band clamps offer a much tighter seal by using a reaction block that transfers bolt torque into clamp strength assuring a tight seal all the way around. With the addition of these exhaust band clamps, the installation and removal time of your exhaust system is drastically cut down.


S/Steel Pipe Connectors



SPC-50 IDΦ50mm Length:125mm
SPC-54 IDΦ54mm Length:125mm
SPC-57 IDΦ57mm Length:125mm
SPC-60 IDΦ60mm Length:125mm
SPC-64 IDΦ64mm Length:125mm
SPC-70 IDΦ70mm Length:125mm
SPC-76 IDΦ76mm Length:125mm
SPC-89 IDΦ89mm Length:125mm

ID=Inside Diameter

Galvanized Pipe Connectors



R.401 IDΦ56mm Length:125mm
R.404 IDΦ40mm Length:125mm
R.406 IDΦ65mm Length:90mm
R.411 IDΦ45mm Length:125mm
R.432 IDΦ48mm Length:95mm
R.439 IDΦ42mm Length:90mm
R.445 IDΦ50.5mm Length:90mm
R.494 IDΦ60mm Length:125mm
R.497 IDΦ76mm Length:125mm
R.499 IDΦ70mm Length:80mm

ID=Inside Diameter

Heavy-Duty Clamps

Galvanized



17-19 17-19mm
23-25 23-25mm
26-28 26-28mm
29-31 29-31mm
32-35 32-35mm
36-39 36-39mm
40-43 40-43mm
44-47 44-47mm
48-51 48-51mm
52-55 52-55mm
56-59 56-59mm
60-63 60-63mm
64-67 64-67mm
68-73 68-73mm
74-79 74-79mm
80-85 80-85mm
86-91 86-91mm
92-97 92-97mm
98-103 98-103mm
104-112 104-112mm
113-121 113-121mm
122-130 122-130mm
131-139 131-139mm
140-148 140-148mm
149-161 149-161mm
162-174 162-174mm
175-187 175-187mm
188-200 188-200mm
201-213 201-213mm
214-226 214-226mm
227-239 227-239mm
240-252 240-252mm

S/Steel Hose Clips

S/Steel T304



008012 08-12mm
008016 08-16mm
012022 12-22mm
016027 16-27mm
020032 20-32mm
025040 25-40mm
030045 30-45mm
032050 32-50mm
040060 40-60mm
050070 50-70mm
060080 60-80mm
070090 70-90mm
080100 80-100mm
090110 90-110mm
100120 100-120mm
110130 110-130mm
120140 120-140mm
150170 150-170mm

U-Clamps



Galvanized material

UC-32 32mm M8
UC-35 35mm M8
UC-38 38mm M8
UC-42 42mm M8
UC-45 45mm M8
UC-48 48mm M8
UC-50 50mm M8
UC-54 54mm M8
UC-57 57mm M8
UC-60 60mm M8
UC-64 64mm M8
UC-67 67mm M8
UC-70 70mm M8
UC-73 73mm M8
UC-76 76mm M8
New! **UC-80** 80mm M8
UC-83 83mm M10
UC-89 89mm M10
UC-95 95mm M10
UC-100 100mm M10
UC-110 110mm M10
UC-115 115mm M10
UC-120 120mm M10
UC-130 130mm M10
New! **UC-135** 135mm M10
New! **UC-142** 142mm M10
UC-155 155mm M10
UC-165 165mm M10

Wraps & S/S Ties



WHT1000-3 30mm
WHT1000-5 50mm
Thickness =1.5mm / Length=15M
Heat resistance: 550 ºC
Includes 4 Stainless Steel Tie Straps




TW-10 50mm
Thickness=1.5mm / Length= 10M
Heat resistance: 1100 ºC
Includes 4 Stainless Steel Tie Straps



ALW-50 50mm
Thickness=1.5mm / Length=9M
Heat resistance: 550 ºC
Includes 4 Stainless Steel Tie Straps



TW-25 25mm
TW-50 50mm
Thickness=1.5mm / Length=15M
Heat resistance: 1200 ºC
Includes 4 Stainless Steel Tie Straps



ZT-5 5mm
ZT-8 8mm
Length=300mm

CHART FOR ESTIMATING HOW MUCH WRAP YOU NEED

Pipe Diam.	30mm Wrap	50mm Wrap
35mm	592cm per meter of pipe	253cm per meter of pipe
38mm	642cm per meter of pipe	280cm per meter of pipe
42mm	693cm per meter of pipe	296cm per meter of pipe
45mm	742cm per meter of pipe	323cm per meter of pipe
48mm	802cm per meter of pipe	346cm per meter of pipe
50mm	855cm per meter of pipe	373cm per meter of pipe
54mm	912cm per meter of pipe	389cm per meter of pipe
57mm	955cm per meter of pipe	416cm per meter of pipe
63.5mm	1055cm per meter of pipe	439cm per meter of pipe
76mm	1148cm per meter of pipe	506cm per meter of pipe






Spare Parts - Insulation Materials



ESSF
Embossed Stainless Steel Foil HE
Thickness = 1mm
Dimensions = 100x100cm



MAT8
Self Adhesive Insulation Mat HE
Thickness = 8mm
Heat resistance = 1000 ºC
Dimensions = 60x50 cm





HHSS2124
S/Steel Heat Shield
Dimensions = 50x60cm
Heat resistance = 1000 ºC
Includes 8 Stainless Steel Tie Strap






HSL-1100
Self Adhesive Insulation
Heat Shield
Dimensions = 100x100cm
Heat resistance = 1100 ºC



HSP-550
Self Adhesive Insulation
Heat Shield
Dimensions = 100x100cm
Heat resistance = 550 ºC







CE10
High quality Glass fiber 'blanket' style
We sell it by kg (1m2 = 1.2kg)
Application temperature: 840º C



Description:
500gr of Continuous Glass Fiber into PE (polyethylene) bags.
The operation is pretty simple.
First insert the bag into muffler chamber.
After start up of engine, the hot gases will melt the polyethylene bag and the glass fiber will fill out completely the whole chamber.

265037
Continuous Glass Fiber
in PE Bag - 500gr/Bag
Application Temperature: 650 °C
We sell it by bag



TECHNICAL DATA OF 265037 / GFB
Basic Material: **Glass Fiber**
Temperature Limit: **650 °C**
Softening Poing: **840-915 °C**
Color: **White**
Combustion: **Incombustible**
Smell: **Odorless**






GFB
Continuous Glass Fiber
in Carton Box 13kg
Application Temperature: 650 °C
We sell it by kg



TR1000
S/Steel wire/kg
Application temperature: 700° C



SSW60
S/Steel wire 60micron Width=70mm
Continuous S/Steel Wire AISI 434
Application temperature: 800° C



S/STEEL 304 ROUND BAFFLES

T = Thickness



BA73
T=1.2mm



BA86
T=1.2mm



BA90
T=1.5mm



BA99
T=1.2mm



BA110
T=1.5mm



BA111
T=1.2mm



BA122
T=1.5mm



BA123
T=1.2mm



BA125
T=1.5mm



BA135
T=1.5mm



BA140
T=1.2mm



BA148
T=1.2mm



BA150
T=1.5mm



BA156
T=1.2mm



BA157
T=1.5mm



BA178
T=1.2mm

S/STEEL 304 ROUND BAFFLES



BA182
T=1.5mm



BA202
T=1.5mm

S/STEEL 304 OVAL BAFFLES

T = Thickness



BA10772
T=1.2mm



BA10772-61
107x72mm T=1.2mm



BA16097
T=1.5mm



BA180100
T=1.5mm



BA187113
T=1.5mm



BA200130
T=1.2mm



BA200140
T=1.5mm



BA210148
T=1.2mm



BA220110
T=1.5mm



BA230120
T=1.5mm



BA220140
T=1.5mm

S/STEEL 304 OVAL BAFFLES



BA280174
T=1.5mm



BA280200
T=1.5mm

S/STEEL 304 CONE BAFFLES



Thickness = 1.5mm



BA76 Φ76
BA89 Φ89
BA101 Φ101



BA76-38 ID38
BA76-45 ID45
BA76-50 ID50



BA89-38 ID38
BA89-45 ID45
BA89-50 ID50



BA101-38 ID38
BA101-45 ID45
BA101-50 ID50
BA101-60 ID60
BA101-70 ID70

Flat Multi Wiper Blades

Frameless Wiper Blades

FW-14 MULTI-FIT 14" 350mm
FW-15 MULTI-FIT 15" 375mm
FW-16 MULTI-FIT 16" 400mm
FW-17 MULTI-FIT 17" 430mm
FW-18 MULTI-FIT 18" 450mm
FW-19 MULTI-FIT 19" 480mm
FW-20 MULTI-FIT 20" 500mm
FW-21 MULTI-FIT 21" 530mm
FW-22 MULTI-FIT 22" 550mm
FW-23 MULTI-FIT 23" 580mm
FW-24 MULTI-FIT 24" 600mm
FW-25 MULTI-FIT 25" 635mm
FW-26 MULTI-FIT 26" 650mm
FW-27 MULTI-FIT 27" 685mm
FW-28 MULTI-FIT 28" 700mm
FW-30 MULTI-FIT 30" 760mm
FW-32 MULTI-FIT 32" 810mm



New 'AERO' Technology Wiper Blades for all types of weather

-For all Seasons
-Exclusive wiper structure
-Advanced aerodynamic design
-Improved durability
-Superior wiping performance
-Revolutionary quiet operation
-Reduce streaking and smearing
-Resistance to all adverse climates

Easy Installation / 10 in 1 Multifunction



H1



H2



H3



H4



H5



H6



H7



H8



H9




H10



BR-28
RUBBER Refill 28" 700mm





TRUCKS Front Multi Wiper Blades

TFW-24 MULTI-FIT 24” 600mm
TFW-26 MULTI-FIT 26” 650mm
TFW-28 MULTI-FIT 28” 700mm
Especially for Trucks / Hook 12mm



Rear Multi Wiper Blades

RW-11 MULTI-FIT 11” 275mm
RW-12 MULTI-FIT 12” 300mm
RW-13 MULTI-FIT 13” 325mm
RW-14 MULTI-FIT 14” 350mm
RW-15 MULTI-FIT 15” 375mm
RW-16 MULTI-FIT 16” 400mm



Direct-Fit Rear Wiper Blades



RB-330
Length: 330mm
Suitable for:
Hyundai i30 ‘16-
Maserati Levante ‘16-
Jaguar F-Pace ‘16-
A.Romeo Stelvio ‘17-
Jaguar F-Pace ‘16-
Kia Niro ‘16-
Optima Sports Wagon ‘16-



RB-410
Length: 350mm
Suitable for:
Land Rover Discovery II ‘98-’05



RB-430
Length: 250mm
Suitable for:
MINI Countryman R60, Cooper R56



RB-460
Length: 400mm
Suitable for:
Renault Koleos ‘08-



RB-530
Length: 260mm
Suitable for:
Smart ForTwo MK2 ‘07-
Renault Megane Grandfour ‘03-’09,
Megane II Estate ‘03-’09, Modus ‘04-’05,
Scenic II ‘03-’09



RB-550
Length: 300mm
Suitable for:
Peugeot 207 ‘06-



RB-560
Length: 300mm
Suitable for:
Hyundai Tucson 7
Kia Sportage
Chevrolet Captiva



RB-570
Length: 300mm
Suitable for:
Citroen C1 ‘05-
Peugeot 107 ’05-
Toyota Aygo ‘05-, Yaris MK1 ‘01-’05
Renault Twingo 93-07, Scenic MK3 ’09-



RB-580
Length: 280mm
Suitable for:
Kia Soul ‘09-,
Sorento MK2 ’09-, Rio MK3 ‘11-
Toyota Avensis Verso 01-05,
Corolla Verso 01-04, IQ ’09-

Direct-Fit Rear Wiper Blades



RB-590
Length: 300mm
Suitable for:
Hyundai i30, ix35



RB-600
Length: 400mm
Suitable for:
Toyota Previa '00-'06,
Yaris Verso '02-'06, Prius '05-'08
Honda Fit Diesel



RB-610
Length: 300mm
Suitable for:
Mitsubish Outlander '07-, Grandis '04-,
Pajero '09-, I-miev '10-
Toyota Corolla Verso '04-'09
Citroen C-Crosser '07-, C-Zero '10-
Honda Odyssey 03-, Accord Estate '03-
Suzuki Liana '06-
Nissan Micra HBack '10-, Note '06-,
March '10-, Pathfinder '05-, TIIDA
Peugeot 4007 '07-
Proton Savvy '05-, Satria Neo '07-
Acura MDX
Toyota Auris '07-
BMW 1 Series (F20) '11-
Subaru XV '11-



RB-620
Length: 350mm
Suitable for:
Honda Fit '04-, CR-V '06-,
Pilot 03-11, Jazz '02-
Subaru Outback '03-, Forester '02-,
Legacy '03-, Tribeca 06-09,
Impreza '07-, Infiniti FX '09-
Nissan X-Trail '04-, Murano '05-, AD
Mazda 2 '03-, Demio
Mitsubishi Shogun '07-,
Lancer HBack '08-



RB-630
Length: 300mm
Suitable for:
Alfa Romeo MiTo '08-
Fiat Grande Punto '05-'10, Punto Evo '09-
Honda Civic HBack '01-'05
Mercedes A-Class W169 '05-, E-Class Estate
W212 '09-, GL-Class W164 '06-,
GLK-Class X204, ML-Class W164 '05-,
ML-Class W166 '11-, R-Class W251 '06-,
Vaneo W414 '04-'06
Nissan Micra HBack '02-'05, Juke '10-
Peugeot 207SW '07-, 308 '07-,
508SW '10-, 3008 '09-, 1007 '05-'09
Renault Avantime 01-03, Clio MK2 98-05,
Campus MK2 01-08, Clio MK2 Van 98-08,
Clio MK3 Estate '07-, Grandtour MK3 '07-,
Modus '05-, Twingo 2 '07-
Citroen C3 MK2 '09-
Opel Corsa MK3 HBack '06-, Insignia ST '08-
Dacia Duster '09-
Ford C-Max '10-
Hyundai IX20 '10-, Kia Venga '09-



RB-640
Length: 350mm
Suitable for:
Alfa Romeo Giulietta '10-
Citroen Berlingo MK2 '08-, C3 02-09, C8 '02-
Saxo '99-'04, Xant ia Break '97-'01
Dacia Logan '07-
Fiat Stilo Multi Wagon '02-, Ulysse '02-,
Scudo '07-
Lancia Phedra '02-
Nissan Almera HBack 00-06
Peugeot 106 95-05, 206 HBack 98-09,
307 HBack 01-08, 307 Estate 02-08,
807 02-10, Expert MK2 '07-, Partner MK2 '08-
Renault Clio MK3 '05-'07, Espace MK4 '02-,
Laguna Grandtour '01-'07,
Megane Grandtour '98-'03,
Megane 3 Grandtour '09-,
Scenic MK1 RX4 '00-'03
Opel Zafira MK2 '05-
Volvo XC60 '11-, XC90 '11-



RB-650
Length: 250mm
Suitable for:
Suzuki Swift '05-, SX4 '06-, Alto '09-
Mitsubishi ASX '10-
Fiat Sedici '06-'11



RB-660
Length: 300mm
Suitable for:
Daihatsu Material '07-'10, Terios '06-
Hyundai i20 '09-, iX20 '10-
Toyota Wish, Yaris 1.5G, Rav4 '03-, High-
lander, Land Cruiser '07-, Previa '06-,
Auris HBack '06-, Avensis Estate 03-09,
Corolla Estate 02-07, IST
Lexus LX570
Suzuki Grand Vitara
Mazda 5 '05-'10, 6 MK1 '02-'08,
6 MK2 '08-
Ford I-Max
Dodge Journey '08-



RB-670
Length: 350mm
Suitable for:
Bmw X3 E83
Citroen C4 Picasso '05-,
C4 Grant Picasso '06-
Ford Focus '06-'11, Galaxy MK2 '10-
Jaguar X-Type Estate '04-'10
Mazda 3 '03-'08
Nissan Cube '09-'11
Smart ForFour '04-
Mitsubishi Colt MK6 H.Back '04-
Peugeot 206SW 02-06, 406SW 96-04
Renault Kangoo '08-, Laguna Grandtour '07-,
Megane Coupe '09-, Megane 3 H.Back '08-,
Laguna MK3 Estate '08-
Rover 75 Tourer 01-05,
MG-ZT-T Estate 01-05



RB-680
Length: 350mm
Suitable for:
Daihatsu Sirion II '04-
Hyundai Accent HBack 06-10,
i800 08-, i40 Estate '11-, Santa Fe II '06-'12
Kia Carens III '06-, Cerato '04-, Mohave '09-,
Rio 05-11
Lexus RX '02-'08
Nissan Tiilda '07-
Subaru Justy '08
Mazda 3 HBack '08-, 6 Fastback '07-, CX-5
'11, CX-7 '06-, CX-9 '06-
Mitsubishi Outlander '03-'06
Toyota Corolla HBack '01-'06,
Corolla Verso 01-04,Corolla Wagon '00-'07



RB-690
Length: 300mm
Suitable for:
Citroen C4 MK1 04-11
Ford Fiesta MK7 '08-, Focus MK2 Estate
08-11,
Focus MK3 '11-, Mondeo Estate '07-
Kia Picanto '04-
Renault Scenic MK3 '09-
Saab 9-3 Estate '05-'12
Toyota Yaris MK2 '06-
Opel Astra MK5 5doors HBack '04-'10,
Astra MK5 Estate '04-'10, Astra MK5 Van '06-
Nissan Qashqai '07-

Direct-Fit Rear Wiper Blades



RB-700
Length: 400mm
Suitable for:
Chrysler Grand Voyager '08-
Citroen C5 '01-'03, Xsara Break '97-, Xsara Picasso
Dacia Sandero '08-
Honda Accord H.Back '99-'03
Nissan Micra, Premira Wagon '01-, Kubistar '03-'10, Primastar
Peugeot 306 '97-'03
Renault Clio MK1 '94-'98, Espace MK3 96-02, Grand Espace MK3 '97-'02, Extra/Express '94-99, Kangoo '97-'07, Megane MK1 Coupe '96-'03, Megane Scenic MK1 '97-'03, Vel satis '02-, Trafic 3 '01-
Rover 25 '00-'05, Streetwise '03-'05, MG ZS '01-'05, Commerce '03-'07
Opel Astra MK4 '97-'05, Combo MK2 '05-'12, Corsa MK2 '00-'06, Meriva '03-, Signum '03-'08, Vectra H.Back '02-'05, Zafira MK1 '98-'05, Combo Tour '01-, Vivaro '01-



RB-770
Length: 340mm
Suitable for:
Audi Q7 '06-, A3 MK2 '03-, A4/S4 MK2 '00-'07, A6 MK3 '06-
Porsche Cayenne '02-'10
Seat Ibiza '08-, Altea '04-'09



RB-870
Length: 230mm
Suitable for:
Renault Megane HBack MK2 '02-'08
Opel Astra GTC MK1 '05-'09



RB-880
Length: 290mm
Suitable for:
Chrysler Delta '11-
Citroen C2 '03-, C3 Picano '09-, C4 MK2 '10-, C5 Break 01-08, DS3 '10-
Fiat Bravo MK2 '07-, Panda MK4 '12-, 500 '07-
Ford KA '08-
Mercedes Benz C-class W204 '07-
MINI H.Back '04-
Peugeot 308sw '08-, 407sw '04-, 5008 '09-
Saab 9-3 X '10-
Opel Astra Coupe '97-'05, Astra Estate MK4 '07-'04, Astra Estate MK5 '04-'10



RB-900
Length: 300mm
Suitable for:
Opel Astra J '09-



RB-910
Length: 380mm
Suitable for:
Volvo V70 '03-'07, XC70 '02-'07 XC90 '03-'06



RB-920
Length: 330mm
Suitable for:
Fiat Bravo 3D '95-'01, Seicento '98-'04 Panda '03-'12, Stilo H.Back '01-'08, Punto MK1 '94-'98, Multipla '00-'06
Alfa Romeo 147 '01-'09, Brera '06-'10
Lancia Ypsilon '03-'10, Y10 '85-'95, Musa '04-



RB-930
Length: 360mm
Suitable for:
Fiat Punto MK2 '98-'05, Marea Weekend '96-'02, Idea '04-
Alfa Romeo 156 Sport wagon '97-'06



RB-960
Length: 400mm
Suitable for:
Volvo C30 '09-



RB-970
Length: 300mm
Suitable for:
Hyundai i10



RB-970
Rear Arm + Wiper Blade
Suitable for:
Toyota Yaris/Vitz 99-05



Direct-Fit Front Wiper Blades



HY-029
Length: 700mm + 580mm
Suitable for:
HONDA Civic '06-



HY-E39
Length: 2x 500mm
Suitable for:
Audi A4 '01-'03

ABS Bumpers




TR-R32-F
Golf 5 R32 Front bumper
Fits the 2doors & 4doors models





TR-R32
Golf 5 R32 Rear bumper
Fits the 2doors & 4doors models



TR-R32-S
Golf 5 R32 Sideskirts set
Fits the 2doors & 4doors models



TR-R32-L
Golf 5 R32 Sideskirts set
Fits the 2doors & 4doors models



BEFORE



AFTER

Diffusers

Made in Austria



RDHA013
Made from GFK plastic(Fiber Glass), unpainted
Including installation accessories and instruction
Fits VW GOLF 6 GTI / GTD
in combination with R32/R20 exhaust





GF060931C
Carbon Fiber rear Diffuser
Fits all VW GOLF 5 / for GTi look
Suitable for 2doors & 4doors models



GF060932C
Carbon Fiber rear Diffuser
Fits all VW GOLF 5 / for GTi look
Suitable for 2doors & 4doors models







PC-X6
Left & Right
Plastic Cover Trims
For BMW X6 E71