TIKKOS RACING





Exhaust Tailpipes



@tikkosracing

Direct Fit Tailpipes

Inlet(ID) = Inside Diameter
Inlet(OD)= Outside Diameter



06-1006
S/Steel 304
VW Golf MK4 / VW New Beetle
Total Length= 250mm
Diameter= 2x70
Inlet(ID)= 48mm



06-8503 Left & Right
S/Steel 304 - Chrome plated
MERCEDES E SERIES
W211 E200/E220/E240/E320 Compressor
Oval= 104x75
Inlet(ID)= 54mm



06-8505 Left & Right
S/Steel 304 - Chrome plated
MERCEDES E SERIES Compressor
W211 E200/E220/E240/E320
Oval= 225x75
Inlet(ID)= 54mm



06-8507 Left & Right
S/Steel 304 - Chrome plated
MERCEDES S SERIES
W221 S320/S350/S500/S550 '06-'09
Does NOT fit the 4matic & CDi Models
Oval= 170x70
Inlet(ID)= 54mm



06-8508 Left & Right
S/Steel 304 - Chrome plated
MERCEDES S SERIES
W221 S320/S350/S500/S550 '06-'09
Does NOT fit the 4matic & CDi models
Oval= 225x70
Inlet(ID)= 54mm



06-8509 Left & Right
S/Steel 304 - Chrome plated
MERCEDES E-Class W211 CDi 2003-2007
Oval= 224x70
Inlet(ID)= 64mm



06-8514 Left & Right
S/Steel 304 - Chrome plated
MERCEDES GLK X204 2008-2012
280/300/350 4Matic - 200/220/250/320/350 CDi
Total Length= 157mm
Oval= 113x78



06-8515 Left & Right
S/Steel 304 - Chrome plated
MERCEDES W204 C200
Oval= 190x70
Inlet(ID)= 103x58mm

Direct Fit Tailpipes



06-8608
S/Steel 304 - Chrome plated
Porsche Boxster 986 2.7 - S3.2 '00-'04
Total Length=125mm
Diameter=2x89 Inlet(OD)=89mm



06-8611
S/Steel 304 - Carbon Fiber
Porsche 997 GT3 3.6i (415hp) '07-
Porsche 997 GT3 RS 3.6i (415hp) '07-
Porsche 997 GT3 3.8i (435hp) '09-
Porsche 997 GT3 RS 3.8i (450hp) '10-
Total Length=135mm
Diameter=2x89 (207x89mm)



152808
S/Steel 304 - Carbon Fiber
Ferrari 458 Italia / Spider
Diameter=2x90 1x80
Inlet(OD)=2x113mm & 1x100mm

With 152808



With 152808-01





152808-01
S/Steel 304 - Titanium (Burned)
Ferrari 458 Italia / Spider
Diameter=2x90 1x80
Inlet(OD)=2x113mm & 1x100mm



152475
S/Steel 304 - Brush Polished
Lamborghini Murcielago LP640
Total Length = 270mm
Dimensions = 280x120mm




152813-01
S/Steel 304
Ford Focus ST 2013
Total Length=155mm
Dimensions=275x75mm





152838
S/Steel 304 - Chrome Plated
Ford Focus ST Style
Total Length=240mm
Dimensions=275x75mm
Inlet(OD)=64mm

Direct Fit Tailpipes



06-8601 **Left & Right**
S/Steel 304 - Chrome plated
PORSCHE 911-996 Turbo
Total Length= 110-100mm
Oval= 145x95mm
Inlet(ID)= 60mm



151672 **Left & Right**
S/Steel 304 - Chrome plated
Porsche 997 turbo (480hp) '06-'08
Porsche 997 turbo (500hp) '09-
Porsche 997 turbo S (530hp) '10-
Total Length= 140mm
Oval= 185x81mm
Inlet(ID)= 60mm



06-8606 **Left & Right**
S/Steel 304 - Chrome plated
Porsche 997 non-turbo Carrera S 3.8i (355hp) '04-'08
Porsche 997 non-turbo Carrera 3.6i (325hp) '05-'08
Porsche 997 non-turbo Carrera 4S 3.8i (355hp) '05-'08
Total Length= 135mm
Oval= 185x81mm
Inlet(ID)= 60mm



06-8502
S/Steel 304 - Chrome plated
MERCEDES W163 ML320/ML350
Total Length= 285mm
Oval= 120x80mm
Inlet(ID)= 70mm



151644 **Left & Right**
S/Steel 304 - Chrome plated
Range Rover Sport TD V6-V8 '02-'09
Total Length = 210mm
Oval= 120x83mm
Inlet(ID)= 63mm



152241
S/Steel 304 - Chrome Plated
VOLVO XC90 2.5T
Total Length = 115mm
Oval= 190x83mm
Inlet (ID)= 64mm




151991 **Left & Right**
S/Steel 304 - Chrome plated
BMW X6 E71 to give an M Look
with 2 Plastic Cover Trims PC-X6
Diameter= 2x 80mm
Inlet (ID)= 67-60mm




Direct Fit Tailpipes

Φ67



151602-C **Left & Right**
S/Steel 304
VW Touareg 3.2i VR6 03-Up
Oval= 119x81mm
Inlet(ID)= 67mm


Φ70



151602-TDi **Left & Right**
S/Steel 304
Fits ALL TDI models from 02-10
VW Touareg 3.6i VR6 (280Hp) 07-Up
VW Touareg 4.2i V8 (310Hp) 04-Up
Oval= 119x81mm
Inlet(ID)= 70mm



Φ70



BL224-TDi **Left & Right**
S/Steel 304
Fits ALL TDI models from 02-10
VW Touareg 3.6i VR6 (280Hp) 07-Up
VW Touareg 4.2i V8 (310Hp) 04-Up
Oval= 152x95mm
Inlet(ID)= 70mm



151584
S/Steel 304 - Chrome plated
VW Golf MK5/6/7, AUDI A3, SEAT
Leon, Ibiza, Touran, BMW
Fits on pipes min 42mm - max 60mm
Total Length= 115mm
Diameter= 76mm
Inlet(ID)= 60mm



150227
S/Steel 304
SUZUKI Grand Vitara
Fits on pipes min 45mm - max 60mm
Total Length=200mm
Diameter= 76mm
Inlet(ID)= 60mm



152422-01
S/Steel 304 - Chrome plated
Fits Porsche 987 Boxster/Cayman 05-
Porsche 981 2012-
2xΦ89 Inlet(ID)= 58mm



06-8610
S/Steel 304 - Carbon fiber
Fits Porsche 987 Boxster/Cayman 05-
Porsche 981 2012-
2xΦ89 Inlet(ID)= 58mm



152644
S/Steel 304 - Chrome plated
Fits BMW 1 Series F20/F21 '2012-
"M Performance" Look
2xΦ76 Inlet(ID)= 60mm



152645
S/Steel 304 - Chrome plated
Fits BMW 3 Series F30/F31 '2012-
"M Performance" Look
2xΦ76 Inlet(ID)= 60mm



06-8605 **Left & Right**
S/Steel 304
Fits Porsche Carrera 993 '93-'98
Total Length= 145mm
Oval= 118x80mm
Inlet= 67mm

Direct Fit Tailpipes



06-8612 Left & Right
S/Steel 304 - Chrome plated
Porsche Carrera 997 non turbo S3.8i (385hp) 2009-Up
Porsche Carrera 997 non turbo 4S 3.8i (385hp) 2009-Up
Porsche Carrera 997 non turbo GTS 3.8i (407hp) 2010-Up
Porsche Carrera 997 non turbo 4 GTS 3.8i (407hp) 2010-Up
Dimensions=2xΦ89 Inlet(ID)=58mm



06-8612-1 Left & Right
S/Steel 304 - Titanium
Porsche Carrera 997 non turbo S3.8i (385hp) 2009-Up
Porsche Carrera 997 non turbo 4S 3.8i (385hp) 2009-Up
Porsche Carrera 997 non turbo GTS 3.8i (407hp) 2010-Up
Porsche Carrera 997 non turbo 4 GTS 3.8i (407hp) 2010-Up
Dimensions=2xΦ89 Inlet(ID)=58mm



06-8612-2 Left & Right
S/Steel 304 - Carbon
Porsche Carrera 997 non turbo S3.8i (385hp) 2009-Up
Porsche Carrera 997 non turbo 4S 3.8i (385hp) 2009-Up
Porsche Carrera 997 non turbo GTS 3.8i (407hp) 2010-Up
Porsche Carrera 997 non turbo 4 GTS 3.8i (407hp) 2010-Up
Dimensions=2xΦ89 Inlet(ID)=58mm



152919 Left & Right
S/Steel 304 - Chrome plated
Porsche Carrera 911 997.2 Turbo 2010-2013
Dimensions=2xΦ89 Inlet(ID)=64mm



06-8613 Left & Right
S/Steel 304 - Chrome plated
Porsche 911 997 Turbo 2007-2009
Dimensions=2xΦ89 Inlet(ID)=70mm





"I couldn't find the sports car of my dreams, so I built it myself."
Ferdinand Porsche

Direct Fit Tailpipes



152377-03 **Left & Right**
S/Steel 304 - Chrome plated
Audi R8 V8 4.2L
Fits the OEM bumper
Dimensions= 2x89
Inlet= 190x110mm







152377-05 **Left & Right**
S/Steel 304 - Carbon
Audi R8 V8 4.2L
Fits the OEM bumper
Dimensions= 2x89mm
Inlet= 190x110mm



152890 **Left & Right**
S/Steel 304
Volvo XC60 / V60
Dimensions=110x80
Inlet(ID)=50mm



151740-25
S/Steel 304 - Slant Cut - **Set of 2pcs**
Volvo V60 T4
Total Length = 150mm
Diameter = 101mm
Inlet(ID)=65.5mm



Direct Fit Tailpipes



TR-3602 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes AMG E63 style
Total Length= 330mm
Outlet Dimensions= 255x90mm
Inlet(OD)= 64mm



TR-3604 **Left & Right**
S/Steel 304
Straight cut / Double Layer
Total Length= 310mm
Outlet Dimensions= 190x65mm
Inlet(OD)= 64mm





Inlet view

TR-3608 **Left & Right**
S/Steel 304
Slant cut / Double Layer
Total Length= 145mm
Outlet Diameter=
2x89mm
Inlet(OD)= 2x64mm



TR-3613 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes W221 S350/ S450/ S500/ S550
CL Class W216 / "AMG Look"/ Year 2006-2013
OEM part no A2214902927 / A2214903027
Total Length= 190mm
Outlet Dimensions= 190x75mm



TR-3613A **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes W221 S Class / CL Class W216 "AMG Look"
Total Length= 190mm
Outlet Dimensions= 190x75mm
Inlet(OD)= 64mm



TR-3616A **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
"BMW X6 V8 Look"
Total Length= 320mm
Outlet Dimensions= 210x85mm
Inlet(OD)= 64mm



TR-3616 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
For BMW X6 E71 3.0idx 3.5idx 3.5ix 4.0d to give an 5.0i/ M50d V8 Look with 2 Plastic Cover Trims PC-X6
Total Length= 410mm
Outlet Dimensions= 210x85mm
Inlet(ID)= 67mm



Direct Fit Tailpipes



TR-3618 Left & Right
S/Steel 304 / Single Layer
Slant Cut & Side Slant Cut
Porsche Panamera Look
Total Length=230mm
Outlet Dimensions=190x70mm
Inlet(OD)=64mm



TR-3622 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
BMW 730-740 Series F01/F02
Total Length=140mm
Outlet Dimensions=170x70mm



TR-3629 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
BMW X5 3.0 E70 2007-2010 "V8 Look"
Total Length=350mm
Outlet Dimensions=140x75mm
Inlet(ID)=66mm



TR-3633 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
BMW 760 F01/F02 Quad tailpipes
Total Length=200mm
Outlet Dimensions=240x75mm



TR-3639 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
'Porsche Cayenne 958 V6 / Diesel '11-'14 Turbo look'
Total Length= 470mm
Outlet Dimensions= 210x90mm
Inlet= 66mm



TR-3641 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Fits: Range Rover Petrol '10-'13 "Range Rover Autobiography" Look
Fits all Range Rover SPORT Petrol models
with the Autobiography rear bumper
Total Length= 310mm
Outlet Dimensions= 120x115mm
Inlet(ID)= 60mm



TR-3645 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
‹M/des AMG E63› style
Total Length= 280mm
Outlet Dimensions= 255x90mm
Inlet(OD)= 64mm



TR-3648 Left & Right
S/Steel 304
Slant Cut & Side Slant
Fits: Range Rover Diesel 2005-2013 "Range Rover Autobiography" Look
Fits all Range Rover SPORT Diesel models
with the Autobiography rear bumper
Total Length= 310mm
Dimensions= 120x115mm
Inlet(ID)= 60mm

Direct Fit Tailpipes



TR-3650 Left & Right
S/Steel 304
Slant Cut & Side Slant
Mercedes W221 S300/ S350/ S450/ S500/ S550/ S600
ML350/ CL Class W216/ R350/ A45/ GLA45
"AMG Look" Quad style / Year 2006-2013
Total Length= 190mm
Dimensions= 190x75mm



TR-3652A Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes W212 E Class / W176 A Class
Total Length= 250mm
Dimensions= 120x70mm
Inlet(ID) = 51mm



TR-3653 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Single layer / ‹WALD› style
Total Length= 280mm
Dimensions= 235x85mm
Inlet(OD)= 64mm



TR-3659 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Porsche Panamera quad style
Total Length= 255mm
Outlet Diameter= 2x89mm
Inlet(OD)= 64mm



TR-3660 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes W221 AMG S63/S65
Total Length= 295mm
Dimensions= 250x75mm
Inlet(OD)= 64mm



TR-3661 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Fits on Audi A4, A5, A6, A7, A8 to give an S4/S5/S6/S7/S8 look
Total Length= 265mm
Dimensions= 2x 90x70mm
Inlet(OD)= 54mm





TR-3663 **Left & Right**
S/Steel 304 / Single layer
Slant Cut & Side Slant Cut
Fits: BMW F10/ F11/ F12/ F13 535i/ 535d/ 640i/ 640d
'BMW 550i-650i' style
Total Length= 150mm
Dimensions= 180x75mm
Inlet(ID)= 67mm



TR-3664 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
Porsche Panamera 970 2014-2016 4S Turbo
Total Length= 240mm
Dimensions= 220x80mm
Inlet(ID)= 102x54mm



TR-3665 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes W222 AMG S63/S65
Total Length= 235mm
Dimensions= 260x75mm



TR-3671 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
BMW X5 F15 2014-2017 M-Sport Style
Total Length = 380mm(Left) & 300mm (Right)
Dimensions = 185x75mm
Inlet(ID) = 70mm



TR-3682 **Left & Right**
S/Steel 304 / Single Layer
Slant Cut & Side Slant Cut
AUDI A8/S8 W12 2015
Total Length = 150mm
Dimensions = 290x70mm
Inlet(ID) = 60mm



TR-3675 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes C-Class W205 Avantgarde
Mercedes E-Class W213 Avantgarde
Total Length = 210mm
Dimensions = 270x70mm



Direct Fit Tailpipes



TR-3687 **Left & Right**
S/Steel 304
Straight Cut
‹BMW M5› style
Total Length= 190-175mm
Outlet Diameter= 2x89mm
Inlet(OD)= 64mm



TR-3689 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
Porsche Cayenne Turbo '15-'16
Total Length= 440mm
Dimensions= 205x100mm
Inlet(OD)= 70mm



TR-3690 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
Suitable for Audi A3 8v Sedan Sportback Coupe '12-'17 to give an 'S3 Look'
The Right Tip is Dummy
Total Length= 124mm
Dimensions= 2x 89x70mm



TR-3691 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
Suitable for Audi A4 B8 B9 '09-'15 to give an 'S4 Look'
The Right Tip is Dummy
Total Length= 112mm
Outlet Diameter= 2x90mm



TR-3692 **Left & Right**
S/Steel 304 / **Black Chrome**
Slant Cut
Porsche Macan 2.0T '14-'24 'GTS Look'
Total Length= 270-230mm
Outlet Diameter= 2x100mm
Inlet(ID)= 60mm





TR-3693 **Left & Right**
S/Steel 304
Slant Cut & Side Slant Cut
Porsche Panamera 971 '17-'19 'GTS Look'
Total Length= 178-148mm
Outlet Diameter= 2x90mm
Inlet(ID)= 150x60mm



TR-3694 **Left & Right**
S/Steel 304 / **Black Chrome**
Slant Cut
Porsche Panamera 970 '14-'16 4S Turbo
Total Length= 166-141mm
Outlet Diameter= 2x100mm
Inlet(ID)= 100x60mm

Direct Fit Tailpipes



TR-3695 **Left & Right**
S/Steel 304 / Aluminium / Brushed Polished
Slant Cut & Side Slant Cut
Porsche Cayenne V6 Turbo '15-'17 'GTS Look'
Total Length = 460mm
Outlet Diameter= 2x100mm
Inlet(OD)= 64mm



TR-3697 **Left & Right**
S/Steel 304 / Brushed Polished
Slant Cut & Side Slant Cut
Porsche Cayenne 9YA Turbo '17-
Total Length= 360mm
Outlet Diameter= 2x102mm
Inlet(ID)= 60mm



TR-3696 **Left & Right**
S/Steel 304 / Brushed Polished
Slant Cut & Side Slant Cut
Porsche Cayenne Turbo '15-'16
Total Length= 440mm
Dimensions= 200x100mm
Inlet(OD)= 68mm







TR-3698 **Left & Right**
S/Steel 304 / Black Chrome
Slant Cut & Side Slant Cut
Porsche Cayenne 9YA Turbo '17-
Total Length= 360mm
Outlet Diameter= 2x102mm
Inlet(ID)= 60mm



TR-3699 **Left & Right**
S/Steel 304 / Mirror Polished
Slant Cut & Side Slant Cut
Porsche Cayenne 9YA Turbo '17-
Total Length= 370mm
Outlet Diameter= 2x100mm
Inlet(ID)= 60mm



TR-3700 **Left & Right**
S/Steel 304 / Black Mat
Slant Cut
Porsche Cayenne V8 '11-'14
Total Length= 370mm
Outlet Diameter= 2x95mm
Inlet(OD)= 68mm



TR-3701 **Left & Right**
S/Steel 304 - Aluminium
Slant Cut & Side Slant Cut
Porsche Cayenne V8 '11-'14
Total Length= 375mm
Outlet Dimensions= 220x100mm
Inlet(OD)= 70mm

Direct Fit Tailpipes



TR-3705 Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes C-Class W205 Avantgarde
Mercedes E-Class W213 Avantgarde
Total Length= 210mm
Dimensions= 270 x 80mm





TR-3732S Left & Right
S/Steel 304
Slant Cut & Side Slant Cut
Range Rover Sport '14-'21 "SVR Look" Total Length= 200-160mm
Outlet Dimensions= 240x110mm
Inlet(ID)= 63mm



TR-3732B Left & Right
S/Steel 304 / Black Chrome
Slant Cut & Side Slant Cut
Range Rover Sport '14-'21 "SVR Look" Total Length= 200-160mm
Outlet Dimensions= 240x110mm
Inlet(ID)= 63mm


Titanium Tailpipes




18089
S/Steel 304 -Titanium
Total Length= 180mm
Diameter= 89mm
Inlet(OD)= 60-50mm
Straight Cut



18089S
S/Steel 304 -Titanium
Total Length= 180mm
Diameter= 89mm
Inlet(OD)= 60-50mm
Slant Cut



200101
S/Steel 304 - Titanium
Total Length= 200mm
Diameter= 101mm
Inlet(OD)= 60-50mm
Straight Cut



200101S
S/Steel 304 - Titanium
Total Length= 200mm
Diameter= 101mm
Inlet(OD)= 60-50mm
Slant Cut

Titanium




Stainless Steel



Inlet(ID) = Inside Diameter
Inlet(OD)= Outside Diameter

Stainless Steel Tailpipes





MILD STEEL - CHROME PLATED

08-1003 IDΦ38
08-1004 IDΦ42
08-1005 IDΦ45
08-1006 IDΦ48
08-1007 IDΦ50
08-1008 IDΦ54
08-1009 IDΦ60

08-1407 Fits on Φ32-Φ45 pipes
08-1408 Fits on Φ32-Φ48 pipes
08-1409 Fits on Φ35-Φ50 pipes
08-1410 Fits on Φ38-Φ55 pipes
08-1412 Fits on Φ50-Φ64 pipes



S/Steel 304 / Single Layer / Slant Cut


06-3453
Total Length= 190mm
Outlet Diameter= Φ76
Inlet(OD)= Φ50

06-3454
Total Length= 190mm
Outlet Diameter= Φ89
Inlet(OD)= Φ54

06-3455
Total Length= 190mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60

06-3456
Total Length= 190mm
Outlet Diameter= Φ114
Inlet(OD)= Φ64

06-3457
Total Length= 190mm
Outlet Diameter= Φ127
Inlet(OD)= Φ76



S/Steel 304 / Single Layer / Slant Cut

B057-76
Total Length= 190mm
Outlet Diameter= Φ76
Inlet(OD)= Φ50

B057-89
Total Length= 190mm
Outlet Diameter= Φ89
Inlet(OD)= Φ54

B057-101
Total Length= 190mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60

B057-114
Total Length= 190mm
Outlet Diameter= Φ114
Inlet(OD)= Φ64

B057-127
Total Length= 190mm
Outlet Diameter= Φ127
Inlet(OD)= Φ76



151510L Left
151510R Right
S/Steel 304
Slant Cut
Total Length= 190mm
Outlet Dimensions= 150x78mm
Inlet(OD)= Φ60-50mm



151664
S/Steel 304 / Chrome plated
Slant Cut
'Porsche Boxster' Style
Total Length= 150mm
Outlet Dimensions= 180x90mm
Inlet(OD)= Φ60mm

Stainless Steel Tailpipes



LF165L Left
LF165R Right
S/Steel 304
Slant Cut & Side Slant Cut
Total Length=210mm
Outlet Dimensions=145x80
Inlet(OD)= Φ64mm





LF166L Left
LF166R Right
S/Steel / Chrome plated
Slant Cut & Side Slant Cut
Lexus IS250-GS300
Total Length= 150mm
Outlet Dimensions= 125x95mm
Inlet(OD)= Φ60mm



151574L Left
151574R Right
S/Steel 304 / Chrome plated
Slant Cut / Single layer
"Mercedes AMG"Style
Total Length= 220-210mm
Outlet Dimensions= 226x70mm
Inlet(OD)= Φ64mm



152477 Left
152478 Right
S/Steel 304 / Chrome plated
Slant Cut / Single layer
"Mercedes AMG"Style
Total Length= 260-250mm
Outlet Dimensions= 255x84mm
Inlet(OD)= Φ64mm



152590L Left
152590R Right
S/Steel 304 / Chrome plated
Slant Cut / Single layer
"Mercedes AMG"Style
Total Length= 260-240mm
Outlet Dimensions= 250x84mm
Inlet(OD)= Φ64mm



152739-01 Left & Right
S/Steel 304 / Chrome plated
Slant Cut / Double layer
"Mercedes AMG C63"Style
Fits M/des W204 C280/C300
Total Length= 178mm
Outlet Dimensions= 250x73mm
Inlet(ID)=100X60mm



151869L Left
151869R Right
S/Steel 304 / Chrome plated
Slant Cut & Side Slant Cut / Double layer
"Mercedes AMG"Style
Total Length= 260-240mm
Outlet Dimensions= 226x70mm
Inlet(OD)= Φ64mm

Stainless Steel Tailpipes



152211L Left
152211R Right
S/Steel 304 / Chrome plated
Slant Cut & Side Slant Cut / Double layer
"AMG W212 E350-E500" Look
Total Length= 155mm
Outlet Dimensions= 176x74mm
Inlet(OD)= Φ60mm



152181-01L Left
152181-01R Right
S/Steel 304 with **Aluminium endings**
Slant Cut & Side Slant Cut / Single layer
Total Length= 200-175mm
Outlet Dimensions= 149x74mm
Inlet(OD)= Φ64mm



TR-VW5 Left & Right
S/Steel 304 / Slant Cut
Suitable for VW Golf 5 to modify it to 'GTi look'
Total Length= 320-270mm
Outlet Diameter= 2x Φ76mm
Inlet(OD)= 48mm



FT500
S/Steel 304 / Aluminized
Double Layer
Fiat 500 '07-up
Total Length= 80mm
Outlet Dimensions= 102x48mm
Inlet(OD)= Φ50mm

Stainless Steel Tailpipes



188001
S/Steel 304 / Chrome plated / Slant Cut
For Bmw 318ci / A.Romeo 147 / Toyota Wish
Screw-On Type / Easy Installation
Fits on pipes with outside diameter 50/60mm
Total Length= 140mm
Outlet Dimensions= 107x71mm
Inlet(ID)= Φ50-60mm



151373
S/Steel 304 / Chrome plated
Slant Cut & Side Slant Cut
For Bmw 116i-120i E81 / BMW 318i E46
Screw-On Type / Easy Installation
Fits on pipes with outside diameter 50/60mm
Total Length= 80mm
Outlet Dimensions= 115x80mm
Inlet(ID)= Φ50-60mm



150188
S/Steel 304
For Honda: Accord, Civic,Rafaga,
Ascot,City,Concerto/Rover
Fits on pipes with outside diameter
38/42/45mm
Total Length= 140mm
Outlet Diameter= Φ64mm
Inlet(ID)= Φ38-45mm



S/Steel 304 / Chrome plated / Slant Cut

151007-03C
Total Length= 170mm
Outlet Diameter= Φ76
Inlet(OD)= Φ60

151007-05C
Total Length= 170mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60

151007-04C
Total Length= 170mm
Outlet Diameter= Φ89
Inlet(OD)= Φ60



151883L Left
151883R Right
S/Steel 304 / Chrome plated / Slant Cut
BMW M3 style
Total Length= 205-195mm
Outlet Diameter= 2x Φ76mm
Inlet(OD)= Φ60mm



152513-01L Left
152513-01R Right
S/Steel 304 / Brushed Polished
Slant Cut & Side Slant Cut
Mercedes W221 AMG S65
Total Length= 240-195mm
Outlet Dimensions= 246x79mm
Inlet(OD)= Φ64mm

Stainless Steel Tailpipes



25872L-B Left
25872R-B Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes AMG E63 S65 Look
Total Length= 235mm
Outlet Dimensions= 258x72mm
Inlet(OD)= Φ64mm





25872L Left
25872R Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes AMG E63 S65 Look
Total Length= 292mm
Outlet Dimensions= 258x72mm
Inlet(OD)= Φ64mm



25872L-Y Left
25872R-Y Right
S/Steel 304
Slant Cut & Side Slant Cut
Mercedes AMG E63 S65 Look
Total Length= 265mm
Outlet Dimensions= 258x72mm
Inlet(OD)= Φ64mm



20270
S/Steel 304 / Slant Cut **Mercedes AMG Look**
Total Length= 200mm
Outlet Dimensions= 202x70mm
Inlet(OD)= Φ57mm



06-7720SL Left
06-7720SR Right
S/Steel 304 / Chrome plated
Slant Cut & Side Slant Cut
Ferrari style
Total Length= 225-185mm
Outlet Dimensions= 2x76mm
Inlet(OD)= Φ60mm



152245L Left
152245R Right
S/Steel 304
Slant Cut & Side Slant Cut
Total Length= 175mm
Outlet Dimensions= 137x90mm
Inlet(OD)= Φ60mm



151607 Left & Right
S/Steel 304 / Chrome Plated
Single Layer / Slant Cut & Side Slant Cut
BMW X5 E70 style
Total Length= 150mm
Outlet Dimensions= 158x90mm
Inlet(OD)= Φ70mm

Stainless Steel Tailpipes

Inlet(ID) = Inside Diameter
Inlet(OD)= Outside Diameter



BL28
S/Steel 304
Slant Cut / Double Layer
Total Length= 200mm
Outlet Dimensions= 2x 80x70mm
Inlet(OD)= Φ60mm



BL29
S/Steel 304
Straight Cut / Double Layer
Total Length= 200mm
Outlet Dimensions= 2x76mm
Inlet(OD)= Φ58mm



BL32
S/Steel 304
DTM Style
Total Length= 200mm
Outlet Diameter= 2x 76mm
Inlet(OD)= Φ58mm



S/Steel 304 / Straight Cut / Double Layer

BL101-60
Total Length= 130mm
Outlet Diameter= Φ60
Inlet(OD)= Φ50

BL101-89
Total Length= 205mm
Outlet Diameter= Φ89
Inlet(OD)= Φ58

BL101-76
Total Length= 130mm
Outlet Diameter= Φ76
Inlet(OD)= Φ50

BL101-101
Total Length= 200mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60-50

BL101-77
Total Length= 178mm
Outlet Diameter= Φ76
Inlet(OD)= Φ54



BL102
S/Steel 304 / Carbon Cover
Double Layer / Straight Cut
Total Length= 180mm
Outlet Diameter= 101mm
Inlet(OD)= Φ60mm



BL111
S/Steel 304
Slant Cut / Double Layer
Total Length = 215mm
Outlet Diameter = 2x80mm
Inlet(OD) = Φ58mm



S/Steel 304 / Slant Cut / Double Layer

BL114-60
Total Length= 130mm
Outlet Diameter= Φ60
Inlet(OD)= Φ50

BL114-101
Total Length= 215mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60

BL114-76
Total Length= 130mm
Outlet Diameter= Φ76
Inlet(OD)= Φ54

BL114-114
Total Length= 190mm
Outlet Diameter= Φ114
Inlet(OD)= Φ64

BL114-77
Total Length= 178mm
Outlet Diameter= Φ76
Inlet(OD)= Φ58

BL114-127
Total Length= 190mm
Outlet Diameter= Φ127
Inlet(OD)= Φ64

BL114-89
Total Length= 215mm
Outlet Diameter= Φ89
Inlet(OD)= Φ58



BL116
S/Steel 304
Slant Cut / Double Layer
Total Length = 178mm
Outlet Dimensions = 117x85mm
Inlet(OD) = Φ60-50mm



BL117
S/Steel 304
Straight Cut / Double Layer
Total Length = 178mm
Outlet Dimensions = 117x85mm
Inlet(OD) = Φ54mm

Stainless Steel Tailpipes




BL135
S/Steel 304
Slant Cut / Double Layer
Total Length= 210mm
Outlet Dimensions= 2x 83x70mm
Inlet(OD)= Φ54mm



BL139
S/Steel 304
Slant Cut / Single Layer
Total Length= 178mm
Outlet Dimensions= 117x85mm
Inlet(OD)= Φ50-60mm




BL142
S/Steel 304
Slant Cut / Single Layer
"CAMARO" Style
Total Length= 254mm
Outlet Dimensions = 200x50mm
Inlet(OD)= Φ64mm





BL142-1
S/Steel 304
Straight Cut / Single Layer
"CAMARO" Style - Offcenter
Total Length= 254mm
Outlet Dimensions= 200x50mm
Inlet(OD)= Φ60mm



BL143
S/Steel 304 / Slant Cut
Total Length= 160mm
Outlet Dimensions= 124x67mm
Inlet(OD)= Φ51mm



BL153L Left
BL153R Right
S/Steel 304
Slant Cut / Single Layer
Total Length= 175-145mm
Outlet Dimensions= 138x89mm
Inlet(OD)= Φ58mm



BL158
S/Steel 304 / Slant Cut
Total Length= 118mm
Outlet Dimensions= 84x72mm
Inlet(OD)= Φ55mm



BL154L Left
BL154R Right
S/Steel 304
Slant Cut / Single Layer
"Porsche 911-996" Style
Total Length= 167mm
Outlet Dimensions= 157x79mm
Inlet(OD) = Φ60mm



BL159
S/Steel 304
Straight Cut / Double Layer
Total Length= 160mm
Outlet Dimensions= 140x70mm
Inlet(OD)= Φ58-50mm

Stainless Steel Tailpipes





BL161L Left
BL161R Right
S/Steel 304
Slant & Side Cut / Double Layer
"AUDI RS"-"GOLF 5/6/7" Style
Total Length= 203mm
Outlet Dimensions= 152x95mm
Inlet(OD)= Φ60mm



BL161VBL Left
BL161VBR Right
S/Steel 304 / Black Chrome
Slant & Side Cut / Double Layer
"AUDI RS"-"GOLF 5/6/7" Style
Total Length= 203mm
Outlet Dimensions= 152x95mm
Inlet(OD)= Φ60mm



BL161L-C Left
BL161R-C Right
S/Steel 304 / Carbon Cover
Slant & Side Cut / Double Layer
"AUDI RS"-"GOLF 5/6/7" Style
Total Length= 210mm
Outlet Dimensions= 175x120mm
Inlet(ID)= Φ60mm




BL162L Left
BL162R Right
S/Steel 304
Slant & Side Cut / Double Layer
"LEXUS" style
Total Length= 200mm
Outlet Dimensions= 119x81mm
Inlet(OD)= Φ60mm



BL164
S/Steel 304
Slant Cut / Double Layer
Total Length= 210mm
Outlet Diameter= 2x76mm
Inlet(OD)= Φ58mm



BL164R
S/Steel 304
Slant Cut / Single Layer
Total Length = 210mm
Outlet Dimensions = 2x76mm
Inlet(OD)= Φ58mm



BL165
S/Steel 304
Slant Cut / Double Layer
"MINI Cooper R50" Style
Total Length= 140mm
Outlet Dimensions= 96x82mm
Inlet(OD)= Φ51mm



BL166
S/Steel 304
Slant Cut / Single Layer
"Peugeot RC" Style
Total Length= 220mm
Outlet Dimensions= 160x 70mm
Inlet(OD)= Φ58mm



BL167L Left
BL167R Right
S/Steel 304
Slant & Side Cut / Single Layer
Fits BMW 320i / 323i / 328i E46
Total Length= 115mm
Outlet Dimensions= 71x70mm
Inlet(OD)= Φ45mm

Stainless Steel Tailpipes



BL168
S/Steel 304
Slant Cut / Double Layer
Total Length= 85mm
Outlet Dimensions= 120x78mm
Inlet(OD)= Φ51mm



BL171L Left
BL171R Right
S/Steel 304
Slant Cut / Double Layer
Mercedes AMG / VW Golf 7
Total Length= 160-150mm
Outlet Dimensions= 2x 96x72mm
Inlet(OD)= Φ60mm



BL172
S/Steel 304
Slant Cut / Double Layer
Total Length= 210mm
Outlet Dimensions= 152x78mm



BL173
S/Steel 304
Slant Cut / Double Layer
Total Length= 210mm
Outlet Dimensions= 152x78mm
Inlet(OD)= Φ60-50mm



BL183
S/Steel 304
Straight Cut / Double Layer
Total Length= 188mm
Outlet Dimensions= 159x70mm
Inlet(OD)= Φ54-50mm



S/Steel 304 / Slant Cut / Double Layer

BL182-76
Total Length= 130mm
Outlet Diameter= Φ76
Inlet(OD)= Φ50

BL182-101
Total Length= 200mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60-50

BL182-127
Total Length= 200mm
Outlet Diameter= Φ127
Inlet(OD)= Φ76

BL182-89
Total Length= 200mm
Outlet Diameter= Φ89
Inlet(OD)= Φ60-50

BL182-114
Total Length= 200mm
Outlet Diameter= Φ114
Inlet(OD)= Φ64



BL186L Left
BL186R Right
S/Steel 304
Slant & Side Cut / Double Layer
"BMW X5/645i" Style
Total Length= 195mm
Outlet Dimensions= 174x93mm
Inlet(OD)= Φ60mm



BL188L Left
BL188R Right
S/Steel 304
Slant Cut / Double Layer
"VW Golf GTi" Style
Total Length= 200-190mm
Outlet Dimensions= 2x Φ76mm
Inlet(OD)= Φ60mm



BL189L Left
BL189R Right
S/Steel 304
Slant Cut / Double Layer
Total Length= 160-150mm
Outlet Dimensions= 2x Φ76mm
Inlet(OD)= Φ60mm

Stainless Steel Tailpipes



S/Steel 304 / Slant Cut / Double Layer **Honda Accord Style**

BL190-76
Total Length= 130mm
Outlet Diameter= Φ76
Inlet(OD)= Φ54

BL190-101
Total Length= 170mm
Outlet Diameter= Φ101
Inlet(OD)= Φ64

BL190-127
Total Length= 200mm
Outlet Diameter= Φ127
Inlet(OD)= Φ76

BL190-89
Total Length= 170mm
Outlet Diameter= Φ89
Inlet(OD)= Φ60

BL190-114
Total Length= 190mm
Outlet Diameter= Φ114
Inlet(OD)= Φ64



BL191
S/Steel 304
Straight Cut / Single Layer
Total Length= 200-190mm
Outlet Dimensions= 2x64mm
Inlet(OD)= Φ64mm



S/Steel 304 / Straight Cut / Single Layer / **"BMW M5 E39" Style**

BL191-70
Total Length= 250-240mm
Outlet Diameter= Φ70
Inlet(OD)= Φ64

BL191-80
Total Length= 260-250mm
Outlet Diameter= Φ80
Inlet(OD)= Φ64




BL192L Left
BL192R Right
S/Steel 304
Slant Cut / Double Layer
"Vauxhall" Style
Total Length= 220-210 mm
Outlet Dimensions= 207X53mm
Inlet(OD)= Φ60mm



BL194
S/Steel 304
Slant Cut / Double Layer
Total Length= 180 mm
Outlet Dimensions= 95x70mm
Inlet(OD)= Φ60-50mm



BL195
S/Steel 304
Slant Cut / Double Layer
Total Length= 180 mm
Outlet Dimensions= 120X80mm
Inlet(OD)= Φ60-50mm



BL196
S/Steel 304
Slant Cut / Single Layer
Total Length= 200 mm
Outlet Dimensions= 152x75mm
Inlet(OD)= Φ60-50mm

Stainless Steel Tailpipes



S/Steel 304 / Slant Cut / Double Layer

BL202-89
Total Length= 240mm
Outlet Diameter= Φ89
Inlet(OD)= Φ58

BL202-101
Total Length= 240mm
Outlet Diameter= Φ101
Inlet(OD)= Φ58

BL202-114
Total Length= 240mm
Outlet Diameter= Φ114
Inlet(OD)= Φ58



S/Steel 304 / Slant Cut / Double Layer / **Black Chrome**

BL202VB-89
Total Length= 240mm
Outlet Diameter= Φ89
Inlet(OD)= Φ58

BL202VB-101
Total Length= 240mm
Outlet Diameter= Φ101
Inlet(OD)= Φ58

BL202VB-114
Total Length= 240mm
Outlet Diameter= Φ114
Inlet(OD)= Φ58



BL204L Left
BL204R Right
S/Steel 304
Slant Cut / Double Layer
Total Length= 200-190 mm
Outlet Dimensions= 2x 95x70mm
Inlet(OD)= 60mm



BL205L Left
BL205R Right
S/Steel 304
Slant Cut / Single Layer
"BMW M3" Style
Total Length= 210-200 mm
Outlet Diameter= 2x 89mm
Inlet(OD)= 58mm



BL206L Left
BL206R Right
S/Steel 304
Slant Cut / Double Layer
Total Length= 200-190 mm
Outlet Dimensions= 2x Φ76mm
Inlet(OD)= Φ60mm








BL206L-89 Left
BL206R-89 Right
S/Steel 304
Slant Cut / Double Layer
Total Length= 200-190 mm
Outlet Dimensions= 2x Φ89mm
Inlet(OD)= Φ60mm

Fit on Audi A4, A5, A6, A7, A8 to give an S4/S5/S6/S7/S8 look

To install our tips you must cut the OEM pipes and weld.
You also need to install an Audi S4/S6 diffuser or cut the OEM bumper.

Stainless Steel Tailpipes



BL208
S/Steel 304
Slant Cut / Double Layer
Scirocco III/Golf 5/ Golf 6/ Seat Leon
Total Length= 90 mm
Outlet Dimensions= 76mm
Inlet(ID)= Φ60mm



BL209
S/Steel 304
Straight Cut / Single Layer
Total Length= 180-173 mm
Outlet Dimensions= 157x80mm
Inlet(OD)= Φ60-50mm



BL210
S/Steel 304
Straight Cut / Double Layer
Total Length= 200-190 mm
Outlet Dimensions= 2x Φ76mm
Inlet(OD)= Φ60mm



BL211
S/Steel 304
Straight Cut / Double Layer
Total Length= 160-150 mm
Outlet Dimensions= 2x Φ76mm
Inlet(OD)= Φ60mm





BL212
S/Steel 304
Straight Cut / Double Layer
Total Length= 160 mm
Outlet Dimensions= 2x Φ76mm
Inlet(OD)= Φ60mm



BL213
S/Steel 304
Diesel Type / Single Layer
Total Length= 210 mm
Outlet Dimensions= 2x Φ76mm
Inlet(OD)= Φ60mm





BL214L Left
BL214R Right
S/Steel 304
Diesel Type / Single Layer
Total Length= 200-190 mm
Outlet Dimensions= 2x Φ76mm
Inlet(OD)= Φ60mm





BL215L Left
BL215R Right
S/Steel 304
Slant & Side Cut/ Double Layer
Fits BMW X5 E70
Total Length= 190mm
Outlet Dimensions= 148x78mm
Inlet(OD)= Φ60-50mm



BL216-76
S/Steel 304
Slant Cut/ Double Layer
Fits Mazda 3 2010-
Total Length= 155mm
Outlet Dimensions= 76mm
Inlet(ID)= Φ55mm

Stainless Steel Tailpipes



BL217L Left
BL217R Right
S/Steel 304
Slant Cut / Double Layer
Toyota Aygo / Citroen C1 / Peugeot 107
Total Length= 200-190 mm
Outlet Dimensions= 2x Φ60mm
Inlet(OD)= Φ58mm





BL218
S/Steel 304
Straight Cut / Double Layer
Total Length= 200mm
Outlet Dimensions= 2x Φ60mm
Inlet(OD)= Φ58mm



BL219L Left
BL219R Right
S/Steel 304
Slant & Side Cut / Double Layer
"Mercedes AMG E63" Style / Cadillac
Total Length= 205-165 mm
Outlet Dimensions= 215x80mm
Inlet(OD)= Φ60mm





BL220L Left
BL220R Right
S/Steel 304
Slant Cut / Double Layer
BMW M3/M5/M6 Style
Total Length= 210-200 mm
Outlet Diameter= 2x89mm
Inlet(OD)= Φ60mm



BL221L Left
BL221R Right
S/Steel 304
Slant Cut / Single Layer
"Mercedes AMG" Style
Total Length= 200-185 mm
Outlet Dimensions= 227x70mm
Inlet(OD)= Φ60mm






BL222L Left
BL222R Right
S/Steel 304
Slant Cut / Single Layer
"Mercedes AMG" Style
Total Length= 200-185 mm
Outlet Dimensions= 227x70mm
Inlet(OD)= Φ60mm

Stainless Steel Tailpipes



BL223
S/Steel 304
Straight Cut/ Double Layer
"Smart Brabus" Style
For Custom made exhausts
Total Length= 140mm
Outlet Dimensions= 2x76mm
Inlet(ID)= Φ38mm







BL225
S/Steel 304
Slant Cut / "Shark" Style
Total Length= 254mm
Outlet Dimensions= 152x102mm
Inlet(OD)= Φ60mm





BL226L Left
BL226R Right
S/Steel 304
Slant Cut/ Double Layer
"BMW M3/M5/M6" Style
Total Length= 210-200mm
Outlet Dimensions= 2x101mm
Inlet(OD)= 60mm



S/Steel 304 / Single Layer / **"Side Exit" Style**

BL227-60
Total Length= 400mm
Outlet Diameter= 2x Φ60
Inlet(OD)= Φ60

BL227-64
Total Length= 400mm
Outlet Diameter= 2x Φ64
Inlet(OD)= Φ64

BL227-76
Total Length= 400mm
Outlet Diameter= 2x Φ76
Inlet(OD)= Φ76





BL228
S/Steel 304
Straight Cut / Double Layer
"BMW M" Style
Total Length= 220-200mm
Outlet Dimensions= 2x80mm
Inlet(OD)= Φ60mm






BL229
S/Steel 304
Straight Cut / Single Layer
"BMW M" Style
Total Length= 220-200mm
Outlet Dimensions= 2x80mm
Inlet(OD)= Φ60mm

Stainless Steel Tailpipes








S/Steel 304 / Brushed Polished (MAT) / Slant Cut / Single Layer / **Thickness: 2.0mm**

BL230-76
Total Length= 190mm
Outlet Diameter= Φ76
Inlet(OD)= Φ50

BL230-89
Total Length= 190mm
Outlet Diameter= Φ89
Inlet(OD)= Φ60

BL230-101
Total Length= 190mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60





S/Steel 304 / Brushed Polished (MAT) / Straight Cut / Single Layer / **Thickness: 2.0mm**

BL231-76
Total Length= 190mm
Outlet Diameter= Φ76
Inlet(OD)= Φ50

BL231-89
Total Length= 190mm
Outlet Diameter= Φ89
Inlet(OD)= Φ60

BL231-101
Total Length= 190mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60



BL318
Total Length= 200mm
Outlet Dimension= 107x72mm Oval
Inlet = 107x72mm
Slant-Cut, Single Layer



BA10772



BA10772-61

Optional extras for **BL318**: S/Steel plates designed to match the 107x72mm oval tip for quick and easy installation.
- Blank plate no hole (**BA10772**)
- Plate with 61mm hole (**BA10772-61**)

Stainless Steel



BL315L-76
BL315R-76
Total Length= 250mm
Outlet Diameter= **2xΦ76**
Inlet(OD)= Φ70-Φ60
Single Layer / Slant Cut



BL315L-80
BL315R-80
Total Length= 250mm
Outlet Diameter= **2xΦ80**
Inlet(OD)= Φ70-Φ60
Single Layer / Slant Cut



BL315L-89
BL315R-89
Total Length= 250mm
Outlet Diameter= **2xΦ89**
Inlet(OD)= Φ70-Φ60
Single Layer / Slant Cut

Black PVD



BL315VBL-76
BL315VBR-76
Total Length= 250mm
Outlet Diameter= **2xΦ76**
Inlet(OD)= Φ70-Φ60
Single Layer / Slant Cut / **Black PVD**



BL315VBL-80
BL315VBR-80
Total Length= 250mm
Outlet Diameter= **2xΦ80**
Inlet(OD)= Φ70-Φ60
Single Layer / Slant Cut / **Black PVD**



BL315VBL-89
BL315VBR-89
Total Length= 250mm
Outlet Diameter= **2xΦ89**
Inlet(OD)= Φ70-Φ60
Single Layer / Slant Cut / **Black PVD**

Brush Mat



BL315BRL-76
BL315BRR-76
Total Length= 250mm
Outlet Diameter= **2xΦ76**
Inlet(OD)= Φ70-Φ60
Single Layer / Slant Cut / **Brush Mat**



BL315BRL-80
BL315BRR-80
Total Length= 250mm
Outlet Diameter= **2xΦ80**
Inlet(OD)= Φ70-Φ60
Single Layer / Slant Cut / **Brush Mat**



BL315BRL-89
BL315BRR-89
Total Length= 250mm
Outlet Diameter= **2xΦ89**
Inlet(OD)= Φ70-Φ60
Single Layer / Slant Cut / **Brush Mat**


Stainless Steel Tailpipes




A3007L Left
A3007R Right
S/Steel 304 / Carbon
Double Layer / Slant Cut
"AMG" Style - BMW "M" Style
Outlet Dimensions= 2x89mm
Total Length= 240-230mm
Inlet(ID)= Φ60mm



A4000
S/Steel 304
Single Layer / Slant Cut
Outlet Dimensions= 210x50mm
Total Length= 210mm
Inlet(OD)= Φ60mm



A4001
S/Steel 304 / Single Layer / Slant Cut
"AMG" Style
Outlet Dimensions= 240x85mm
Total Length= 210mm
Inlet(OD)= Φ60mm



A039 Silver
B039 Blue (Burned)
M039 Black
S/Steel 304 / Slant Cut
VW Golf/Passat, AUDI
Total Length = 145mm
Outlet Dimensions = 70mm
Inlet(ID)= Φ57mm
With Special clips which lock on the OEM tailpipes
No welding needed

A044 Silver
B044 Blue (Burned)
M044 Black
S/Steel 304 / Slant Cut
VW Golf/Passat, AUDI
Total Length = 150mm
Outlet Dimensions = 76mm
Inlet(ID)= Φ64mm
With Special clips which lock on the OEM tailpipes
No welding needed





S/Steel 304 / Carbon / Double Layer / Slant Cut

A067
Total Length= 155mm
Outlet Diameter= Φ89
Inlet(ID)= Φ60

A069
Total Length= 155mm
Outlet Diameter= Φ114
Inlet(ID)= Φ60

A068
Total Length= 155mm
Outlet Diameter= Φ101
Inlet(ID)= Φ60



S/Steel 304 / Carbon / Double Layer / Slant Cut

A070
Total Length= 165mm
Outlet Diameter= Φ89
Inlet(ID)= Φ60

A072
Total Length= 165mm
Outlet Diameter= Φ114
Inlet(ID)= Φ60

A071
Total Length= 165mm
Outlet Diameter= Φ101
Inlet(ID)= Φ60



BMW "M" Style

S/Steel 304 / Carbon / Double Layer / Straight Cut

A073
Total Length= 140mm
Outlet Diameter= Φ80
Inlet(ID)= Φ60

A073C
Total Length= 150mm
Outlet Diameter= Φ101
Inlet(ID)= Φ60

A073B
Total Length= 150mm
Outlet Diameter= Φ90
Inlet(ID)= Φ60

Stainless Steel Tailpipes




S/Steel 304 / Double Layer / Slant Cut

A090
Total Length= 165mm
Outlet Diameter= Φ89
Inlet(ID)= Φ60

A092
Total Length= 175mm
Outlet Diameter= Φ114
Inlet(ID)= Φ60

A091
Total Length= 165mm
Outlet Diameter= Φ101
Inlet(ID)= Φ60



S/Steel 304 / Double Layer / Straight Cut


B060
Total Length= 160mm
Outlet Diameter= Φ76
Inlet(OD)= Φ51

B062
Total Length= 160mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60

B064
Total Length= 180mm
Outlet Diameter= Φ130
Inlet(OD)= Φ76

B061
Total Length= 160mm
Outlet Diameter= Φ89
Inlet(OD)= Φ51

B063
Total Length= 160mm
Outlet Diameter= Φ114
Inlet(OD)= Φ64



S/Steel 304 / Double Layer / Slant Cut


B060S
Total Length= 160mm
Outlet Diameter= Φ76
Inlet(OD)= Φ51

B062S
Total Length= 160mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60

B064S
Total Length= 180mm
Outlet Diameter= Φ130
Inlet(OD)= Φ76

B061S
Total Length= 160mm
Outlet Diameter= Φ89
Inlet(OD)= Φ51

B063S
Total Length= 160mm
Outlet Diameter= Φ114
Inlet(OD)= Φ64



S/Steel 304 / Single Layer / Straight Cut


TR300-76
Total Length= 190mm
Outlet Diameter= Φ76
Inlet(OD)= Φ76

TR300-101
Total Length= 190mm
Outlet Diameter= Φ101
Inlet(OD)= Φ101

TR300-89
Total Length= 190mm
Outlet Diameter= Φ89
Inlet(OD)= Φ89



TR301
S/Steel 304
Double Layer / Straight Cut
BMW "M" Style
Total Length= 200 - 190mm
Outlet Dimensions= 2x76mm
Inlet(OD)= Φ60mm



TR302
S/Steel 304 / Burned
Double Layer / Straight Cut
BMW "M" Style
Total Length= 200 - 190mm
Outlet Dimensions= 2x76mm
Inlet(OD)= Φ60mm



TR303L Left
TR303R Right
S/Steel 304 / Carbon
Double Layer / Straight Cut
BMW "M" Style
Outlet Dimensions= 2x80mm
Total Length= 250-240mm
Inlet Diameter(ID)= Φ60mm

Stainless Steel Tailpipes



BMW "M" Style

S/Steel 304 / Double Layer / Straight Cut

TR305-76
Total Length= 180mm
Outlet Diameter= Φ76
Inlet(OD)= Φ50

TR305-89
Total Length= 180mm
Outlet Diameter= Φ89
Inlet(OD)= Φ57

TR305-80
Total Length= 180mm
Outlet Diameter= Φ80
Inlet(OD)= Φ54

TR305-101
Total Length= 180mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60



"Brabus" Style


S/Steel 304 / Double Layer / Slant Cut

TR306-89
Total Length= 190mm
Outlet Diameter= Φ89
Inlet(OD)= Φ57

TR306-101
Total Length= 200mm
Outlet Diameter= Φ101
Inlet(OD)= Φ60



TR307
S/Steel 304 / Carbon
Double Layer / Slant Cut
Outlet Dimensions= 115x85mm
Total Length= 170mm
Inlet(ID)= Φ64mm




S/Steel 304 / Single Layer / Slant Cut

TR307-76
Total Length= 190mm
Outlet Diameter= Φ76
Inlet(OD)= Φ76

TR307-101
Total Length= 190mm
Outlet Diameter= Φ101
Inlet(OD)= Φ101

TR307-89
Total Length= 190mm
Outlet Diameter= Φ89
Inlet(OD)= Φ89



S/Steel 304 / Double Layer / Slant Cut / **Black Chrome**

TR308-76
Total Length= 155mm
Outlet Diameter= Φ76
Inlet(ID)= Φ54

TR308-101
Total Length= 175mm
Outlet Diameter= Φ101
Inlet(ID)= Φ64

TR308-89
Total Length= 155mm
Outlet Diameter= Φ89
Inlet(ID)= Φ60



S/Steel 304 / Double Layer / Slant Cut

TR309L-76 Left
TR309R-76 Right
Total Length= 210-190mm Outlet Diameter= 2x Φ76 Inlet(OD)= Φ60

TR309L-101 Left
TR309R-101 Right
Total Length= 210-190mm Outlet Diameter= 2x Φ101 Inlet(OD)= Φ64

TR309L-89 Left
TR309R-89 Right
Total Length= 210-190mm Outlet Diameter= 2x Φ89 Inlet(OD)= Φ60

Stainless Steel Tailpipes



TR310-89
S/Steel 304
Brushed / Slant Cut
Total Length= 175mm
Outlet Diameter= 89mm
Inlet(ID)= Φ60mm

TR310-114
S/Steel 304
Brushed / Slant Cut
Total Length= 175mm
Outlet Diameter= 114mm
Inlet(ID)= Φ60mm

TR310-101
S/Steel 304
Brushed / Slant Cut
Total Length = 175mm
Outlet Diameter = 101mm
Inlet(ID)= Φ60mm



TR314-114
S/Steel 304 / Slant Cut
Total Length= 200mm
Outlet Diameter= 114mm
Inlet(OD)= Φ64mm



TR316L-76
TR316R-76
S/Steel 304
Brushed Mat / Slant Cut
Total Length= 240mm - 220mm
Outlet Diameter= 76mm
Inlet(ID)= Φ57mm





EBM421A
S/Steel / Straight Cut
Mini Cooper R50/R52 1.6i '01-'09
Total Length= 85mm
Outlet Diameter= 80mm
Inlet(ID)= Φ55mm
OEM No: 18101489602